



FLOOR ITALIA[®]
C E R A M I C H E

GENERAL BOOK

2.5



La Prima azienda ceramica
impegnata nella Responsabilità
Sociale d'Impresa per la
salvaguardia delle api e del loro
ecosistema.

*The First company in the ceramic
industry committed to Corporate
Social Responsibility issues for
the protection of bees and their
ecosystem.*

*Eyes on the Sky,
Feet on the Floor Italia ceramiche*

*For my
Floor Italia ceramiche Family
— SK, 2025*

INDICE | INDEX

LEVIGATI POLISHED	4
MARBLE MAX, 120x120 48"x48"	6
ENDLESS LOVE, 60x120 24"x48"	10
ENDLESS LOVE EDONYX, 60x120 24"x48"	48
MARMI, 60x120 24"x48"	62
MADRAS COLLECTION	78
MAISON COLLECTION, 60x120 24"x48"	88
ONICE COLLECTION	91
RAINBOW COLLECTION, 60x120 24"x48"	94
MARMI, 80x80 32"x32"	98
MARMI, 60x60 24"x24"	104
PURE COLLECTION	110
GRES PORCELLANATO NATURALE RETTIFICATO CON SUPERFICIE TRASLUCIDA CARVING CARVING	112
PRISMA STATUARIO, 60x120 24"x48"	114
PRENESTINA, 60x120 24"x48"	115
ORO LUX BIANCO, 60x120 24"x48"	116
ORO LUX CREMA, 60x120 24"x48"	117
PULPIS BIANCO, 60x120 24"x48"	118
PULPIS GREY, 60x120 24"x48"	119
PULPIS SILVER, 60x120 24"x48"	120
GLAMOUR WHITE, 60x120 24"x48"	121
GLAMOUR CREMA, 60x120 24"x48"	122
NATURALI MATT	124
CORTEN, 60x60 24"x24"	126
CAPITOL, 30x60 12"x24", 60x60 24"x24", 60x120 24"x48"	128

LEGNI WOOD EFFECT	134
ROVER WOOD, 20x120 8"x48"	136
ROYAL WOOD, 20x120 8"x48"	144
MISSOURI, 20x120 8"x48"	148
CHEVRON, 30x120 12"x48"	156
BOISERIE WOOD 3D, 30x120 12"x48"	162
GRENIER NATUREL, 60x60 24"x24"	166
OUTDOOR PAVIMENTI PER ESTERNI	168
SACADA, 16,2x32,5 6,4"x12,8" 8 mm R10	170
GRANITI, 30x30 12"x12" 12 mm R10	174
PAVONE, 40x40 16"x16" 12 mm R10	176
RIVESTIMENTI WALL TILES	178
BIANCHI, 20x20 8"x8"	180
BIANCHI, 30x60 12"x24"	180
RÉTRO, 30x60 12"x24"	182
RIVIERA, 30x60 12"x24"	186
Merchandising Espositori	190
Caratteristiche tecniche	192
<i>Technical characteristics</i>	
Simbologia	192
<i>Symbology</i>	
Consigli per la posa	193
<i>Suggestions for laying</i>	
Condizioni generali di vendita	194
<i>General conditions of sales</i>	

IMBALLI | PACKING DETAILS

ARTICOLO ITEM NAME	FORMATO (cm) SIZE (inch)	SPESSORE THICKNESS	SCATOLA BOX			1 x PEDANA 1x PALLET		
			PZ PC	M² / SQM SQ.FT	KG LBS	SCATOLE Boxes	M² / SQM SQ.FT	PESO in KG Gross Weight in LBS
MARBLE MAX PRISMA STATUARIO CALACATTA REALE ABSOLUTE WHITE	120x120 48"x48"	9 mm	2	2,88 31.00	59,00 130.00	16	46,08 496.00	980,00 2,160.53
MARBLE MAX AMANI GREY	120x120 48"x48"	9 mm	2	2,88 31.00	59,00 130.00	15	43,20 465.00	925,00 2,039.28
ENDLESS LOVE collection	60x120 24"x48"	9 mm	2	1,44 15.50	27,50 60.62	34	48,96 527.00	955,00 2,105.41
ENDLESS LOVE ORIENTE collection	60x120 24"x48"	9 mm	2	1,44 15.50	29,00 63.93	34	48,96 527.00	1.006,00 2,217.85
ENDLESS LOVE EdOnyx collection	60x120 24"x48"	9 mm	2	1,44 15.50	29,00 63.92	34	48,96 527.00	1.006,00 2,217.85
MARMI 60x120 24"x48" OXIDO AZZURRO	60x120 24"x48"	9mm	2	1,44 15.50	28,30 62.39	34	48,96 527.00	980,00 2,160.53
MARMI 60x120 24"x48" MARMO VIVO BEIGE CALACATTA REALE AMANI BIANCO RIVER ROMANO LIGHT RIVER ROMANO BEIGE CREMA MARFIL ALASKA PULPIS GRIS ORO PIANO BIANCO MARQUINIA EMPERADOR AMBRA DORATO	60x120 24"x48"	9mm	2	1,44 15.50	29,00 63.93	34	48,96 527.00	1.006,00 2,217.85
MARMI 60x120 24"x48" NERO MARQUINIA NERO ST LAURENT	60x120 24"x48"	9mm	2	1,44 15.50	28,30 62.39	32	48,96 527.00	925,00 2,039.28
MARMI 60x120 24"x48" BLACK NOTE	60x120 24"x48"	9mm	2	1,44 15.50	27,50 60.62	34	48,96 527.00	955,00 2,105.41
MADRAS collection PERLA, GRIGIO	60x60 24"x48"	9mm	4	1,44 15.50	27,50 60.63	40	57,60 620.00	1.120,00 2,469.18
MADRAS collection BIANCO, PERLA, GRIGIO	60x120 24"x48"	9mm	2	1,44 15.50	29,00 63.93	34	48,96 527.00	1.006,00 2,217.85
MADRAS collection BIANCO, PERLA, GRIGIO	80x80 32"x32"	9mm	2	1,28 13.78	25,00 55.11	48	61,44 661.33	1.220,00 2,689.64
MADRAS collection BIANCO, PERLA	120x120 48"x48"	9mm	2	2,88 31.00	59,00 130.00	16	46,08 496.00	980,00 2,160.53
MAISON collection BLANC, GRIS, IVOIRE	60x120 24"x48"	9mm	2	1,44 15.50	29,00 63.93	34	48,96 527.00	1.006,00 2,217.85
ONICE GOLD collection	60x60 24"x48"	9mm	4	1,44 15.50	27,50 60.63	40	57,60 620.00	1.120,00 2,469.18
ONICE GOLD collection	80x80 32"x32"	9mm	2	1,28 13.78	25,00 55.11	48	61,44 661.33	1.220,00 2,689.64
ONICE GOLD collection ONICE FANTASY RAINBOW collection	60x120 24"x48"	9mm	4	1,44 15.50	29,00 63.93	34	48,96 527.00	1.006,00 2,217.85
MARMI 80x80 32"x32" collection	80x80 32"x32"	9mm	2	1,28 13.78	25,00 55.11	48	61,44 661.33	1.220,00 2,689.64
MARMI 60x60 24"x48" collection	60x60 24"x48"	9mm	4	1,44 15.50	27,50 60.63	40	57,60 620.00	1.120,00 2,469.18
PURE collection ARTIC WHITE	60x60 24"x48"	9mm	4	1,44 15.50	27,50 60.63	40	57,60 620.00	1.120,00 2,469.18
PURE collection ARTIC WHITE	80x80 32"x32"	9mm	2	1,28 13.78	25,00 55.11	48	61,44 661.33	1.220,00 2,689.64
PURE collection ARTIC WHITE	60x120 24"x48"	9mm	2	1,44 15.50	29,00 63.93	34	48,96 527.00	1.006,00 2,217.85
PURE collection SUPER WHITE, SUPER BLACK	60x60 24"x48"	9mm	4	1,44 15.50	28,50 62.83	34	48,96 527.00	989,00 2,180.37



LEVIGATI | POLISHED
COLLECTIONS

MARBLE MAX, 120x120 48"x48"	6
ENDLESS LOVE, 60x120 24"x48"	10
ENDLESS LOVE EDONYX, 60x120 24"x48"	48
MARMI 60x120 24"x48"	62
MADRAS COLLECTION	78
MAISON COLLECTION, 60x120 24"x48"	88
ONICE COLLECTION	91
RAINBOW COLLECTION, 60x120 24"x48"	94
MARMI, 80x80 32"x32"	98
MARMI, 60x60 24"x24"	104
PURE COLLECTION	110

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED

6



PRISMA STATUARIO
120x120 | 48"x48"

M37






PRISMA STATUARIO, 120x120 | 48"x48"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED

6



CALACATTA REALE
120x120 | 48"x48"


M37



CALACATTA REALE, 120x120 | 48"x48"



LEVIGATO | POLISHED



ABSOLUTE WHITE
120x120 | 48"x48"

M37



ABSOLUTE WHITE, 120x120 | 48"x48"




LEVIGATO | POLISHED

6




AMANI GREY
120x120 | 48"x48"

M37



AMANI GREY, 120x120 | 48"x48"



ENDLESS LOVE®

collection

60x120 | 24"x48"

IL NUOVO CONCETTO DI DESIGN INFINITO

La rivoluzionaria serie di piastrelle in gres porcellanato effetto marmo che permette di combinare insieme le diverse facce per ottenere una grafica continua ma allo stesso tempo casuale.

THE NEW CONCEPT OF INFINITY DESIGN

The revolutionary unique collection of marble effect porcelain tiles perfectly combining different faces.

That allows to get a continuous graphics always varying.



ENDLESS LOVE, CALACATTA GOLD, 60x120 | 24"x48"

CALACATTA GOLD 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"



1

2

3

4



M28

ENDMATCH COMPOSITION



1 → 3 → 2 → 4 →



3D ROOM SCENE



VIDEO

SCAN ME



ENDLESS LOVE, PRISMA STATUARIO, 60x120 | 24"x48"

ENDLESS LOVE 60x120 | 24"x48"

Gres porcellanato rettificato
Rectified porcelain tiles



LEVIGATO | POLISHED & SATINATO | SATIN MATT & RUSTIC MATT R10

PRISMA STATUARIO 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"




1

2

3

4

M28



ENDMATCH COMPOSITION

2 → 1 → 4 → 3 →



1 → 3 → 2 → 4 →



3D ROOM SCENE



VIDEO

SCAN ME ❤️



ENDLESS LOVE, STATUARIO GOLD, 60x120 | 24"x48"

STATUARIO GOLD 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"



1

2

3

4

M28



ENDMATCH COMPOSITION

2 → 1 → 4 → 3 →



1 → 3 → 2 → 4 →



3D ROOM SCENE



VIDEO

SCAN ME



ENDLESS LOVE, BIANCO SIGNORIA, 60x120 | 24"x48"

BIANCO SIGNORIA 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"



1

2

3

4



ENDMATCH COMPOSITION



3D ROOM SCENE



VIDEO

SCAN ME



ENDLESS LOVE 60x120 | 24"x48"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED

STATUARIO 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"



1 2 3 4

M28



ENDMATCH COMPOSITION

2 → 1 → 4 → 3 →



1 → 3 → 2 → 4 →



3D ROOM SCENE



VIDEO

SCAN ME ❤️



ENDLESS LOVE, STATUARIO, 60x120 | 24"x48"



ENDLESS LOVE 60x120 | 24"x48"

Gres porcellanato naturale rettificato con superficie
traslucida carving
Matt rectified porcelain tiles with carving finish



CARVING



ENDLESS LOVE, ATLANTIS CREMA, 60x120 | 24"x48"

ATLANTIS CREMA 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"



1



2




3



4

M30



ENDMATCH COMPOSITION

2 → 1 → 4 → 3 →



1 → 3 → 2 → 4 →



3D ROOM SCENE



VIDEO

SCAN ME





ENDLESS LOVE, CORAL, 60x120 | 24"x48"

CORAL 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"



1

2

3

4

M28



ENDMATCH COMPOSITION

2 → 1 → 4 → 3 →



1 → 3 → 2 → 4 →



3D ROOM SCENE



VIDEO

SCAN ME



ENDLESS LOVE 60x120 | 24"x48"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED

PERLATO 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"



1 2 3 4



ENDLESS LOVE, PERLATO, 60x120 | 24"x48"

M28



ENDMATCH COMPOSITION

2 → 1 → 4 → 3 →



1 → 3 → 2 → 4 →



3D ROOM SCENE



VIDEO

SCAN ME





ENDLESS LOVE, SHINE, 60x120 | 24"x48"

SHINE 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"




1

2

3

4

M28



ENDMATCH COMPOSITION

2 → 1 → 4 → 3 →



1 → 3 → 2 → 4 →



3D ROOM SCENE



VIDEO

SCAN ME ❤️



ENDLESS LOVE, MONTEPULCIANO, 60x120 | 24"x48"

MONTEPULCIANO 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"




1

2


3

4

M28



ENDMATCH COMPOSITION



3D ROOM SCENE



VIDEO

SCAN ME



ENDLESS LOVE, ORIENTE BIANCO, 60x120 | 24"x48"

ORIENTE BIANCO 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"




1

2

3

4

M30



ENDMATCH COMPOSITION






ENDLESS LOVE, ORIENTE BLUE, 60x120 | 24"x48"

ORIENTE BLUE 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"




1

2


3

4

M30



ENDMATCH COMPOSITION





ENDLESS LOVE, ORIENTE BRONZO, 60x120 | 24"x48"

ENDLESS LOVE 60x120 | 24"x48"


Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED

ORIENTE BRONZO 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"




1

2

3

4

M30



ENDMATCH COMPOSITION

2 → 1 → 4 → 3 →



1 → 3 → 2 → 4 →



ENDLESS LOVE, ORIENTE GRIGIO, 60x120 | 24"x48"

ENDLESS LOVE 60x120 | 24"x48"


Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED

ORIENTE GRIGIO 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"




1

2


3

4

M30



ENDMATCH COMPOSITION





ENDLESS LOVE 60x120 | 24"x48"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles




LEVIGATO | POLISHED



ENDLESS LOVE, EMPIRE, 60x120 | 24"x48"


EMPIRE 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"




1 2 3 4

M28



ENDMATCH COMPOSITION



3D ROOM SCENE



VIDEO

SCAN ME





ENDLESS LOVE, ANTRA, 60x120 | 24"x48"

ANTRA 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"




1

2

3

4

M28



ENDMATCH COMPOSITION

2 → 1 → 4 → 3 →



1 → 3 → 2 → 4 →



3D ROOM SCENE



VIDEO

SCAN ME



ENDLESS LOVE 60x120 | 24"x48"

Gres porcellanato naturale rettificato
Matt rectified porcelain tiles



FLOOR ITALIA
CERAMICHE

NATURALE | MATT R9 & R10

POLAR 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"



1

2

3

4

M28



ENDMATCH COMPOSITION

2 → 1 → 4 → 3 →



1 → 3 → 2 → 4 →



3D ROOM SCENE



VIDEO

SCAN ME ❤️



ENDLESS LOVE, POLAR, 60x120 | 24"x48"



ENDLESS LOVE, STERLING GREY, 60x120 | 24"x48"

STERLING GREY 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"




1

2

3

4

M28



ENDMATCH COMPOSITION



3D ROOM SCENE



VIDEO

SCAN ME



ENDLESS LOVE®
collection

EdOnyx COLLECTION - SPECIAL EDITION

Il più nobile e prezioso dei minerali. La collezione EdOnyx esalta le sfumature e le trasparenze dell'onice. L'effetto 3D si coniuga con il combaciare perfetto di venature e colori. Un modo rivoluzionario di intendere pavimenti e rivestimenti per una casa calda e passionale, come i 7 colori della collezione.

The EdOnyx collection celebrates the triumph of colors. It is hedonism, pure pleasure that arises from the game of warm and passionate colors of calcareous onyx.



ENDLESS LOVE, EDONYX SMERALDO, 60x120 | 24"x48"

ENDLESS LOVE 60x120 | 24"x48"


Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED

EDONYX SMERALDO 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"




1

2


3

4

M32



ENDMATCH COMPOSITION



3D ROOM SCENE



VIDEO

SCAN ME ❤️



ENDLESS LOVE 60x120 | 24"x48"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles




FLOOR ITALIA
CERAMICHE

LEVIGATO | POLISHED

EDONYX AQUA 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"




1 2 3 4




ENDLESS LOVE, EDONYX AQUA, 60x120 | 24"x48"

M32



ENDMATCH COMPOSITION



3D ROOM SCENE



VIDEO

SCAN ME





ENDLESS LOVE, EDONYX BLUE, 60x120 | 24"x48"

ENDLESS LOVE 60x120 | 24"x48"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles




FLOOR ITALIA
CERAMICHE

LEVIGATO | POLISHED

EDONYX BLUE 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"




1

2



3

4

M32



ENDMATCH COMPOSITION



3D ROOM SCENE



VIDEO

SCAN ME





ENDLESS LOVE 60x120 | 24"x48"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles




LEVIGATO | POLISHED



ENDLESS LOVE, EDONYX BLACK, 60x120 | 24"x48"


EDONYX BLACK 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"




1 2 3 4

M32



ENDMATCH COMPOSITION



1 3 2 4



3D ROOM SCENE



VIDEO

SCAN ME





ENDLESS LOVE, EDONYX GREY, 60x120 | 24"x48"

ENDLESS LOVE 60x120 | 24"x48"


Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED

EDONYX GREY 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"




1

2


3

4



M32

ENDMATCH COMPOSITION



3D ROOM SCENE



VIDEO

SCAN ME





ENDLESS LOVE, EDONYX IVORY, 60x120 | 24"x48"

EDONYX IVORY 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"



1 2 3 4



ENDMATCH COMPOSITION



3D ROOM SCENE



VIDEO

SCAN ME



ENDLESS LOVE, EDONYX ROSES, 60x120 | 24"x48"

ENDLESS LOVE 60x120 | 24"x48"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED

EDONYX ROSES 60x120 | 24"x48"

Vena Continua 60x120
Continuous veining 60x120 | 24"x48"



1

2


3

4



M32

ENDMATCH COMPOSITION



1

3

2

4



3D ROOM SCENE



VIDEO

SCAN ME



Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED

6



OXIDO AZZURRO

60x120 | 24"x48"

M30



Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED


5




MARMO VIVO BEIGE

60x120 | 24"x48"

M26



LEVIGATO | POLISHED
4



CALACATTA REALE
60x120 | 24"x48"

M26

MARMI 60x120 | 24"x48"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



MARMI 60x120 | 24"x48"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



AMANI BIANCO
60x120 | 24"x48"

M26

LEVIGATO | POLISHED
4



LEVIGATO | POLISHED
5



RIVER ROMANO LIGHT
60x120 | 24"x48"

M26

MARMI 60x120 | 24"x48"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



MARMI 60x120 | 24"x48"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



RIVER ROMANO BEIGE
60x120 | 24"x48"

M26

LEVIGATO | POLISHED
5



LEVIGATO | POLISHED
4



CREMA MARFIL
60x120 | 24"x48"

M26

MARMI 60x120 | 24"x48"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



MARMI 60x120 | 24"x48"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED
7



ALASKA
60x120 | 24"x48"


M26

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED

4



PULPIS GRIS

60x120 | 24"x48"

M26



Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED

7




ORO PIANO

60x120 | 24"x48"

M26



LEVIGATO | POLISHED
10



BIANCO MARQUINIA
60x120 | 24"x48"

M30

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



MARMI 60x120 | 24"x48"




MARMI 60x120 | 24"x48"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED
6




NERO MARQUINIA
60x120 | 24"x48"

M32



LEVIGATO | POLISHED
3



EMPERADOR
60x120 | 24"x48"

M30

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



MARMI 60x120 | 24"x48"




MARMI 60x120 | 24"x48"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED
4



NERO ST LAURENT
60x120 | 24"x48"


M32



LEVIGATO | POLISHED

MARMI 60x120 | 24"x48"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



AMBRA DORATO
60x120 | 24"x48"

M32



MARMI 60x120 | 24"x48"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



BLACK NOTE
60x120 | 24"x48"

M32




LEVIGATO | POLISHED

9

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED




MADRAS BIANCO, 80x80 | 32"x32" M27

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles




LEVIGATO | POLISHED



MADRAS BIANCO 60x120 | 24"x48"

M26



Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED



MADRAS BIANCO, 120x120 | 48"x48"

M37

Gres porcellanato naturale rettificato
Matt rectified porcelain tiles



NATURALE R9 | MATT R9



MADRAS PERLA, 60x60 | 24"x24" M23

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED



MADRAS PERLA, 80x80 | 32"x32" M27

Gres porcellanato rettificato
Rectified porcelain tiles



LEVIGATO | POLISHED & NATURALE R9 | MATT R9

4



MADRAS PERLA 60x120 | 24"x48"

M26



LEVIGATO | POLISHED



MADRAS PERLA, 120x120 | 48"x48"

M37

MADRAS COLLECTION

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



MADRAS COLLECTION

Gres porcellanato rettificato
Rectified porcelain tiles



LEVIGATO | POLISHED & NATURALE R9 | MATT R9

4



MADRAS GRIGIO MATT R9, 60x60 | 24"x24"

M23

MADRAS GRIGIO 60x120 | 24"x48"

M26

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



MADRAS GRIGIO, 80x80 | 32"x32"

M27

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED
5



MAISON BLANC 60x120 | 24"x48"

M26



Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED
5



MAISON GRIS 60x120 | 24"x48"

M26



Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED
5



MAISON IVOIRE
60x120 | 24"x48"

M26



Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



10

M23



ONICE GOLD 60x60 | 24"x24"



5

M27



ONICE GOLD 80x80 | 32"x32"



LEVIGATO | POLISHED



ONICE GOLD, 80x80 | 32"x32"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED
5



ONICE GOLD
60x120 | 24"x48"

M26



Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED
6



ONICE FANTASY
60x120 | 24"x48"

M26



Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED
8



RAINBOW BRONZO
60x120 | 24"x48"

M30



Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED
8



RAINBOW TECHNO
60x120 | 24"x48"


M30



Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED
8



RAINBOW AROMA
60x120 | 24"x48"

M30



Gres porcellanato levigato rettificato
Polished rectified porcelain tiles




LEVIGATO | POLISHED
8



RAINBOW CARBONE
60x120 | 24"x48"

M30



Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LUX GREY, 80x80 | 32"x32"

M27

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



AMANI BIANCO, 80x80 | 32"x32"

M27



LEVIGATO | POLISHED



LEVIGATO | POLISHED





CREMA MARFIL, 80x80 | 32"x32"

M27

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED



ALASKA, 60x60 | 24"x24"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED



ALASKA
60x60 | 24"x24"

M22

12



WHITE MARBLE
60x60 | 24"x24"

M22

6

MATT 60x60 | 24"x24"

M22



WHITE MARBLE, 60x60 | 24"x24"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



CALACATTA REALE, 60x60 | 24"x24"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



CALACATTA REALE

M22

60x60 | 24"x24"

8



ORO FIRENZE

M22

60x60 | 24"x24"

5



ORO FIRENZE, 60x60 | 24"x24"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED



DELHI BEIGE, 60x60 | 24"x24"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



LEVIGATO | POLISHED




PULPIS GRIS, 60x60 | 24"x24"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



SUPER WHITE & SUPER BLACK, 60x60 | 24"x24"

Gres porcellanato levigato rettificato
Polished rectified porcelain tiles



ARTIC WHITE LEVIGATO

60x60 | 24"x24" M22

60x120 | 24"x48" M26

80x80 | 32"x32" M27




NATURE BLACK LEVIGATO

60x60 | 24"x24" M30

60x120 | 24"x48" M40

FULL BODY | GRES PORCELLANATO A TUTTA MASSA




SUPER WHITE LEVIGATO

60x60 | 24"x24" M36

SUPER WHITE MATT

60x60 | 24"x24" M40

FULL BODY | GRES PORCELLANATO A TUTTA MASSA



SUPER BLACK LEVIGATO

60x60 | 24"x24" M36

SUPER BLACK MATT

60x60 | 24"x24" M40

IMBALLI | PACKING DETAILS

ARTICOLO ITEM NAME	FORMATO (cm) SIZE (inch)	SPESSORE THICKNESS	SCATOLA BOX			1 x PEDANA 1x PALLET		
			PZ PC	M² / SQM SQ.FT	KG LBS	SCATOLE Boxes	M² / SQM SQ.FT	PESO in KG Gross Weight in LBS
PRISMA STATUARIO	60x120 24"x48"	9 mm	2	1,44 15.50	29,00 63.93	34	48,96 527.00	1.006,00 2,217.85
PRENESTINA	60x120 24"x48"	9 mm	2	1,44 15.50	29,00 63.93	34	48,96 527.00	1.006,00 2,217.85
ORO LUX	60x120 24"x48"	9 mm	2	1,44 15.50	28,30 62.39	32	48,96 527.00	925,00 2,039.28
PULPIS	60x120 24"x48"	9 mm	2	1,44 15.50	29,00 63.93	34	48,96 527.00	1.006,00 2,217.85
GLAMOUR	60x120 24"x48"	9 mm	2	1,44 15.50	29,00 63.93	34	48,96 527.00	1.006,00 2,217.85

CARVING
COLLECTIONS

PRISMA STATUARIO, 60x120 24"x48"	114
PRENESTINA, 60x120 24"x48	115
ORO LUX BIANCO, 60x120 24"x48	116
ORO LUX CREMA, 60x120 24"x48	117
PULPIS BIANCO, 60x120 24"x48	118
PULPIS GREY, 60x120 24"x48	119
PULPIS SILVER, 60x120 24"x48	120
GLAMOUR WHITE, 60x120 24"x48	121
GLAMOUR CREMA, 60x120 24"x48	122

CARVING MATT R9

5

Gres porcellanato naturale rettificato con superficie
traslucida carving
Matt rectified porcelain tiles with carving finish



PRISMA STATUARIO

60x120 | 24"x48"

M32



Gres porcellanato naturale rettificato con superficie
traslucida carving
Matt rectified porcelain tiles with carving finish



PRENESTINA

60x120 | 24"x48" 60x120 | 24"x48"

M32



CARVING MATT R9

10

Gres porcellanato naturale rettificato con superficie
traslucida carving
Matt rectified porcelain tiles with carving finish



ORO LUX BIANCO 60x120 | 24"x48"

M32



Gres porcellanato naturale rettificato con superficie
traslucida carving
Matt rectified porcelain tiles with carving finish




ORO LUX CREMA 60x120 | 24"x48"

M32



CARVING MATT R9

6



PULPIS BIANCO 60x120 | 24"x48"

M32

Gres porcellanato naturale rettificato con superficie
traslucida carving
Matt rectified porcelain tiles with carving finish



PULPIS BIANCO 60x120 | 24"x48"

PULPIS GREY 60x120 | 24"x48"

Gres porcellanato naturale rettificato con superficie
traslucida carving
Matt rectified porcelain tiles with carving finish



PULPIS GREY 60x120 | 24"x48"

M32

CARVING MATT R9

6



Gres porcellanato naturale rettificato con superficie
traslucida carving
Matt rectified porcelain tiles with carving finish



PULPIS SILVER 60x120 | 24"x48"

M32



Gres porcellanato naturale rettificato con superficie
traslucida carving
Matt rectified porcelain tiles with carving finish



GLAMOUR WHITE 60x120 | 24"x48"

M32



Gres porcellanato naturale rettificato con superficie
traslucida carving
Matt rectified porcelain tiles with carving finish



CARVING MATT R9



GLAMOUR CREMA, 60x120 | 24"x48"

Gres porcellanato naturale rettificato con superficie
traslucida carving
Matt rectified porcelain tiles with carving finish



CARVING MATT R9

4



GLAMOUR CREMA
60x120 | 24"x48"

M32

IMBALLI | PACKING DETAILS

ARTICOLO ITEM NAME	FORMATO (cm) SIZE (inch)	SPESSORE THICKNESS	SCATOLA BOX			1 x PEDANA 1x PALLET		
			PZ PC	M² / SQM SQ.FT	KG LBS	SCATOLE Boxes	M² / SQM SQ.FT	PESO in KG Gross Weight in LBS
CORTEN collection	60x60 24"x24"	10 mm	4	1,44 15.50	31,50 69.45	32	46,08 496.00	1.028,00 2,266.35
CAPITOL collection	60x60 24"x24"	9 mm	2	1,44 15.50	27,50 60.63	40	57,60 620.00	1.120,00 2,469.18
CAPITOL collection	60x120 24"x48"	9 mm	2	1,44 15.50	29,00 63.93	34	48,96 527.00	1.006,00 2,217.85
CAPITOL collection	30x60 12"x24"	9 mm	5	0,90 9.69	18,00 39.68	64	57,60 620.00	1.172,00 2,583.82

WALHALLA, REGENSBURG GERMANY



NATURALI | MATT
COLLECTION

CORTEN 60x60 24"x24"	126
CAPITOL COLLECTION	128
30x60 12"x24", 60x60 24"x24", 60x120 24"x48"	



CORTEN SILVER & BRJONZE, 60x60 | 24"x24"



CORTEN SILVER
60x60 | 24"x24"

M38



CORTEN BRONZE
60x60 | 24"x24"

M38




NATURALE R9 | MATT R9
6

CAPITOL BIANCO

Gres porcellanato naturale rettificato
Matt rectified porcelain tiles



CAPITOL BIANCO 60x120 | 24"x48" M26





CAPITOL TALCO

Gres porcellanato naturale rettificato
Matt rectified porcelain tiles



NATURALE R9 | MATT R9
6

CAPITOL TALCO 60x120 | 24"x48" M26



NATURALE R9 | MATT R9
6



CAPITOL SAND 60x120 | 24"x48" M26



12
60x60 | 24"x24" M22

CAPITOL SAND

Gres porcellanato naturale rettificato
Matt rectified porcelain tiles



CAPITOL SILVER

Gres porcellanato naturale rettificato
Matt rectified porcelain tiles



NATURALE R9 | MATT R9
6



12
60x60 | 24"x24" M22
MATT R10B
30x60 | 12"x24" M24

CAPITOL SILVER 60x120 | 24"x48" M26



NATURALE R9 | MATT R9
6



CAPITOL GREY 60x120 | 24"x48" M26



12
60x60 | 24"x24" M22

CAPITOL GREY

Gres porcellanato naturale rettificato
Matt rectified porcelain tiles



CAPITOL MUD

Gres porcellanato naturale rettificato
Matt rectified porcelain tiles



CAPITOL MUD 60x60 | 24"x24" M22



NATURALE R9 | MATT R9
12

IMBALLI | PACKING DETAILS

ARTICOLO ITEM NAME	FORMATO (cm) SIZE (inch)	SPESSORE THICKNESS	SCATOLA BOX			1 x PEDANA 1x PALLET		
			PZ PC	M² / SQM SQ.FT	KG LBS	SCATOLE Boxes	M² / SQM SQ.FT	PESO in KG Gross Weight in LBS
ROVER WOOD collection	20x120 8"x48"	9 mm	5	1,20 12.91	24,40 53.79	42	50,40 542.50	1.045,00 2,303.83
ROYAL WOOD collection	20x120 8"x48"	9 mm	5	1,20 12.91	24,70 54.45	42	50,40 542.50	1.057,00 2,330.29
MISSOURI collection	20x120 8"x48"	9 mm	5	1,20 12.91	24,30 53.57	42	50,40 542.50	1.041,00 2,295.01
CHEVRON collection	30x120 12"x48"	10 mm	4	1,44 15.50	30,50 67.24	36	51,84 558.00	1.118,00 2,464.77
BOISERIE WOOD 3D collection	30x120 12"x48"	10 mm	4	1,44 15.50	30,50 67.24	36	51,84 558.00	1.118,00 2,464.77
GRENIER NATUREL	60x60 24"x24"	9 mm	4	1,44 15.50	27,50 60.63	40	57,60 620.00	1.120,00 2,469.18



LEGNI | WOOD EFFECT
COLLECTION

ROVER WOOD, 20x120 8"x48"	136
ROYAL WOOD, 20x120 8"x48"	144
MISSOURI, 20x120 8"x48"	148
CHEVRON, 30x120 12"x48"	156
BOISERIE WOOD 3D, 30x120 12"x48"	162
GRENIER NATUREL, 60x60 24"x24"	166

Gres porcellanato smaltato
rettificato strutturato
Glazed rectified structured porcelain tiles



ROVER WOOD BIANCO, 20x120 | 8"x48"

Gres porcellanato smaltato
rettificato strutturato
Glazed rectified structured porcelain tiles



ROVER WOOD BIANCO

10

20x120 | 8"x48"

M24



Gres porcellanato smaltato
rettificato strutturato
Glazed rectified structured porcelain tiles



ROVER WOOD GRIS, 20x120 | 8"x48"

Gres porcellanato smaltato
rettificato strutturato
Glazed rectified structured porcelain tiles



ROVER WOOD GRIS

20x120 | 8"x48"

10

M24

Gres porcellanato smaltato
rettificato strutturato
Glazed rectified structured porcelain tiles



ROVER WOOD BEIGE, 20x120 | 8"x48"

Gres porcellanato smaltato
rettificato strutturato
Glazed rectified structured porcelain tiles



M24

ROVER WOOD BEIGE

10

20x120 | 8"x48"

Gres porcellanato smaltato
rettificato strutturato
Glazed rectified structured porcelain tiles



ROVER WOOD NATURAL, 20x120 | 8"x48"

Gres porcellanato smaltato
rettificato strutturato
Glazed rectified structured porcelain tiles



M24

ROVER WOOD NATURAL

10

20x120 | 8"x48"

Gres porcellanato smaltato rettificato
Glazed rectified porcelain tiles



ROYAL WOOD WHITE, 20x120 | 8"x48"

Gres porcellanato smaltato rettificato
Glazed rectified porcelain tiles



ROYAL WOOD WHITE

5

20x120 | 8"x48"

M24



Gres porcellanato smaltato rettificato
Glazed rectified porcelain tiles



ROYAL WOOD ALMOND, 20x120 | 8"x48"

Gres porcellanato smaltato rettificato
Glazed rectified porcelain tiles



ROYAL WOOD ALMOND

20x120 | 8"x48"

11

M24

Gres porcellanato smaltato rettificato
Glazed rectified porcelain tiles



MISSOURI BETULLA, 20x120 | 8"x48"

Gres porcellanato smaltato rettificato
Glazed rectified porcelain tiles



MISSOURI BETULLA

20x120 | 8"x48"

M24

Gres porcellanato smaltato rettificato
Glazed rectified porcelain tiles



MISSOURI MIELE, 20x120 | 8"x48"

Gres porcellanato smaltato rettificato
Glazed rectified porcelain tiles



M24

Gres porcellanato smaltato rettificato
Glazed rectified porcelain tiles



MISSOURI ACERO, 20x120 | 8"x48"

Gres porcellanato smaltato rettificato
Glazed rectified porcelain tiles



20x120 | 8"x48"

8

M24

Gres porcellanato smaltato rettificato
Glazed rectified porcelain tiles



MISSOURI CASTAGNO, 20x120 | 8"x48"

Gres porcellanato smaltato rettificato
Glazed rectified porcelain tiles



Gres porcellanato naturale effetto legno
rettificato strutturato con superficie
traslucida carving

*Matt wood effect structured rectified porcelain tiles
with carving finish*

CHEVRON 30x120 | 12"x48"



CHEVRON MIELE, 30x120 | 12"x48"

CHEVRON 30x120 | 12"x48"

Gres porcellanato naturale effetto legno
rettificato strutturato con superficie
traslucida carving

*Matt wood effect structured rectified porcelain tiles
with carving finish*



30x120 | 12"x48"

6

M34

Gres porcellanato naturale effetto legno
rettificato strutturato con superficie
traslucida carving

*Matt wood effect structured rectified porcelain tiles
with carving finish*

CHEVRON 30x120 | 12"x48"



CHEVRON GRIGIO, 30x120 | 12"x48"

CHEVRON 30x120 | 12"x48"

Gres porcellanato naturale effetto legno
rettificato strutturato con superficie
traslucida carving

*Matt wood effect structured rectified porcelain tiles
with carving finish*



30x120 | 12"x48"

6

M34

Gres porcellanato naturale effetto legno
rettificato strutturato con superficie
traslucida carving

*Matt wood effect structured rectified porcelain tiles
with carving finish*

CHEVRON 30x120 | 12"x48"



CHEVRON WENGE, 30x120 | 12"x48"

CHEVRON 30x120 | 12"x48"

Gres porcellanato naturale effetto legno
rettificato strutturato con superficie
traslucida carving

*Matt wood effect structured rectified porcelain tiles
with carving finish*



Gres porcellanato strutturato
smaltato rettificato
Glazed structured rectified porcelain tiles



BOISERIE WOOD 3D ALMOND, 30x120 | 12"x48"

Gres porcellanato strutturato
smaltato rettificato
Glazed structured rectified porcelain tiles



BOISERIE WOOD 3D ALMOND

11

30x120 | 12"x48"




M34

Gres porcellanato strutturato
smaltato rettificato
Glazed structured rectified porcelain tiles



BOISERIE WOOD 3D OAK, 30x120 | 12"x48"

Gres porcellanato strutturato
smaltato rettificato
Glazed structured rectified porcelain tiles



BOISERIE WOOD 3D OAK

30x120 | 12"x48"

11

M34

Gres porcellanato smaltato rettificato
Glazed rectified porcelain tiles



GRENIER NATUREL, 60x60 | 24"x24"

Gres porcellanato smaltato rettificato
Glazed rectified porcelain tiles



GRENIER NATUREL 60x60 | 24"x24"

M23



IMBALLI | PACKING DETAILS

ARTICOLO ITEM NAME	FORMATO (cm) SIZE (inch)	SPESSORE THICKNESS	SCATOLA BOX			1 x PEDANA 1x PALLET		
			PZ PC	M² / SQM SQ.FT	KG LBS	SCATOLE Boxes	M² / SQM SQ.FT	PESO in KG Gross Weight in LBS
SACADA collection	16,2x32,5 6,4"x12,8"	8 mm	25	1,32 14.21	22,12 48.77	60	79,20 852.50	1.347,00 2,969.63
GRANITI collection	30x30 12"x12"	12 mm	8	0,72 7.75	18,60 41.00	56	40,32 434.00	1.062,00 2,341.31
PAVONE collection	40x40 16"x16"	12 mm	5	0,80 8.61	20,00 44.09	72	57,60 620.00	1.460,00 3,218.75

WARSAW OLD TOWN, POLAND



OUTDOOR
PAVIMENTI PER ESTERNI

SACADA, 16,2x32,5 6,4"x12,8" 8 mm R10	170
GRANITI, 30x30 12"x12" 12 mm R10	174
PAVONE, 40x40 16"x16" 12 mm R10	176

Gres porcellanato naturale
Matt porcelain tiles



SACADA BIANCO, 16,2x32,5 | 6,4"x12,8"



SACADA BEIGE, 16,2x32,5 | 6,4"x12,8"

Gres porcellanato naturale
Matt porcelain tiles



SACADA BIANCO 16,2x32,5 | 6,4"x12,8" M21



SACADA BEIGE 16,2x32,5 | 6,4"x12,8" M21

Gres porcellanato naturale
Matt porcelain tiles



SACADA GRIGIO, 16,2x32,5 | 6,4"x12,8"




SACADA ANTRACITE, 16,2x32,5 | 6,4"x12,8"

Gres porcellanato naturale
Matt porcelain tiles



SACADA GRIGIO 16,2x32,5 | 6,4"x12,8" M21




SACADA ANTRACITE 16,2x32,5 | 6,4"x12,8" M21

Gres porcellanato naturale rettificato
Matt rectified porcelain tiles



GRANITI CETARA, 30x30 | 12"x12"




GRANITI CREMA, 30x30 | 12"x12"

Gres porcellanato naturale rettificato
Matt rectified porcelain tiles



GRANITI CETARA 30x30 | 12"x12" **M33**



GRANITI CREMA 30x30 | 12"x12" **M33**

Gres porcellanato naturale rettificato
Rectified porcelain floor tiles



PAVONE SCOGLIO 1002, 40x40 | 16"x16"




PAVONE ROCCIA 1004, 40x40 | 16"x16"

Gres porcellanato naturale rettificato
Rectified porcelain floor tiles



PAVONE SCOGLIO 1002
40x40 | 16"x16"

M25



PAVONE ROCCIA 1004
40x40 | 16"x16"

M25



PAVONE TERRA 1001
40x40 | 16"x16"

M25

IMBALLI | PACKING DETAILS

ARTICOLO ITEM NAME	FORMATO (cm) SIZE (inch)	SPESSORE THICKNESS	SCATOLA BOX			1 x PEDANA 1x PALLET		
			PZ PC	M² / SQM SQ.FT	KG LBS	SCATOLE Boxes	M² / SQM SQ.FT	PESO in KG Gross Weight in LBS
BIANCHI	20x20 8"x8"	7 mm	35	1,40 15.10	17,00 37.48	75	105,00 1,130.21	1.295,00 2,854.97
BIANCHI	30x60 12"x24"	9 mm	5	0,90 9.69	14,50 31.96	84	75,60 813.75	1.238,00 2,729.32
RÉTRO	30x60 12"x24"	9 mm	10	1,80 19.38	30,20 66.58	48	86,40 930.00	1.470,00 3,240.80
RIVIERA	30x60 12"x24"	9 mm	10	1,80 19.38	30,20 66.58	48	86,40 930.00	1.470,00 3,240.80




BIANCHI, 20x20 8"x8"	180
BIANCHI, 30x60 12"x24"	180
RÉTRO, 30x60 12"x24"	182
RIVIERA, 30x60 12"x24"	186

Rivestimenti rettificati in ceramica a pasta bianca
Rectified white body wall tiles




BIANCHI | WALL TILES collection

Rivestimenti rettificati in ceramica a pasta bianca
Rectified white body wall tiles



BIANCO LUCIDO
20x20 | 8"x8"


M14



BIANCO OPACO
20x20 | 8"x8"


M14

Ceramica pasta bianca rettificata
Rectified white body wall tiles



BIANCO LUCIDO
30x60 | 12"x24"

M22



BIANCO OPACO
30x60 | 12"x24"

M22

Pasta rossa
Red body wall tiles




RÉTRO TROPICAL & TROPICAL DECOR GOLD | 30x60 | 12"x24"



RÉTRO VERDE & VERDE DECOR GOLD | 30x60 | 12"x24"


Pasta rossa
Red body wall tiles



7

RÉTRO MARINE
30x60 | 12"x24"

M22



7

RÉTRO MARINE DECOR GOLD
30x60 | 12"x24"


P14



7

RÉTRO VERDE
30x60 | 12"x24"

M22



7

RÉTRO VERDE DECOR GOLD
30x60 | 12"x24"


P14



7

RÉTRO TROPICAL
30x60 | 12"x24"

M22



7

RÉTRO TROPICAL DECOR GOLD
30x60 | 12"x24"


P14



7

RÉTRO CARBONE
30x60 | 12"x24"

M22



7

RÉTRO CARBONE DECOR GOLD
30x60 | 12"x24"

P14

Pasta rossa
Red body wall tiles



RETRO CLOUDY | 30x60 | 12"x24"



RETRO IVORY DECOR GOLD | 30x60 | 12"x24"



RETRO CLOUDY DECOR GOLD | 30x60 | 12"x24"


Pasta rossa
Red body wall tiles



7

RETRO CLOUDY
30x60 | 12"x24"

M22



7

RETRO CLOUDY DECOR GOLD
30x60 | 12"x24"

P14



7

RETRO IVORY
30x60 | 12"x24"

M22



7

RETRO IVORY DECOR GOLD
30x60 | 12"x24"

P14



RETRO IVORY | 30x60 | 12"x24"

Pasta rossa
Red body wall tiles




RIVIERA BLUE & RIVIERA BLUE DECOR | 30x60 | 12"x24"



RIVIERA ANTRACITE & RIVIERA ANTRACITE DECOR | 30x60 | 12"x24"

Pasta rossa
Red body wall tiles



RIVIERA GREEN
30x60 | 12"x24"

M22

RIVIERA BLUE
30x60 | 12"x24"

M22

RIVIERA ANTRACITE
30x60 | 12"x24"

M22

RIVIERA WHITE
30x60 | 12"x24"

M22

RIVIERA BRICK
30x60 | 12"x24"

M22

RIVIERA GREEN DECOR
30x60 | 12"x24"

P14

RIVIERA BLUE DECOR
30x60 | 12"x24"

P14

RIVIERA ANTRACITE DECOR
30x60 | 12"x24"

P14

RIVIERA WHITE DECOR
30x60 | 12"x24"

P14

RIVIERA BRICK DECOR
30x60 | 12"x24"

P14

COS' È L'SPC?

Floor Italia SPC presenta i nuovi listoni di legno artificiale sviluppati con la tecnologia Stone Core. SPC è l'acronimo per Stone Polymer Composite: un nucleo di pietra calcarea (Lime Stone, carbonato di calcio) combinato con polvere di PVC ed uno stabilizzatore.

Diversamente dai pavimenti tradizionali in vinile non c'è alcun elemento interno in plastica.

Parliamo di Eco Futuro: SPC infatti migliora gli ambienti di vita rendendoli salubri e più funzionali.

Il nucleo elastico SPC è rifinito da una copertura UV, un film di carta decorativa resistente all'abrasione che crea un pavimento bello e forte.

WHAT IS SPC?

Floor Italia SPC rigid core flooring combines the strength of stone and the beauty of wood or natural stone / marble. SPC stands for Stone Polymer Composite, the main component - the SPC core is a lime stone (calcium carbonate) combined with PVC dust and a stabilizer. Our SPC flooring is 100% virgin material, there is no recycled material.

SPC flooring is a formaldehyde-free and has no plastic or chemical elements inside, unlike traditional vinyl flooring. Our SPC Flooring is completely safe floor material for residential and commercial environments. This is why we talk about the Eco Future. It is considered as a new generation of floor materials characterized by extreme stability, high performance, 100% waterproofing and eco-friendly attributes.

The SPC core is finished with a Decor film, protective Wear Layer (W/L) and special antibacterial UV Topcoat film to create a beautiful and strong flooring.

COMPOSIZIONE COMPOSITION

- 1 STRATO UV | DURABLE UV LAYER**
Garantisce una migliore resistenza all'acqua, alle macchie e maggiore durata nel tempo.
This top/surface layer of an SPC floor is designed to prevent discoloration, micro scratches and UV radiation.
- 2 STRATO D'USURA
WEAR RESISTANT TRANSPARENT LAYER (W/L)**
Uno strato trasparente che preserva il colore e protegge dall'abrasione.
It provides resistance to scratches and stains and is easy to keep clean.
- 3 DECORAZIONE HD | HD DECORATIVE LAYER**
Un'ampia varietà di texture effetto legno ed effetto pietra.
Regardless of natural wood or stone structure, Floor Italia SPC offers a variety of beautiful designs, that will better showcase your individual style and personality.
- 4 NUCLEO SPC | SPC RIGID CORE
(STONE POLYMER COMPOSITE)**
Un nucleo di pietra calcarea studiato per prevenire sia l'espansione che la contrazione del pavimento, attenuando le imperfezioni del piano sottostante.
This core is made from a combination of natural limestone powder and stabilizers, ensuring a stable and waterproof performance for the floor, prevent expansion and contraction of the flooring and cover subfloor imperfections.
- 5 SISTEMA A SCATTO IMPERMEABILE BREVETTATO
PATENTED WATERPROOF CLICK SYSTEM**
Per un'installazione fai da te, facile e veloce.
For an easy, quick and do-it-yourself friendly installation.
- 6 SOTTOFONDO EVA FOAM | UNDERLAYMENT**
Offre un maggior isolamento termico e acustico con una sensazione naturale a piedi nudi.
Better sound absorption and excellent underfoot feeling.



INSTALLAZIONE FACILE E VELOCE
CON TECNOLOGIA UNICLIC®

EASY AND QUICK INSTALLATION
WITH UNICLIC® TECHNOLOGY

PER SAPERNE DI PIÙ
VIEW MORE

www.spcflooring.it

SCAN ME




FLOOR ITALIA
SPC FLOORING
BY WORLD OF ITALY

Naturale come il **LEGNO**

Non si deforma come il **LAMINATO**

Non si graffia come l'**LVT**

Non è freddo come il

GRES PORCELLANATO

Questo è Floor Italia SPC

La Rivoluzione che mancava.

This is not **WOOD**

This is not **LAMINATE**

This is not **LVT**


This is not **PORCELAIN TILE**

This is **Floor Italia SPC**

The Floor Revolution.

KEEP CALM
JUST CLICK
& LIVE IT!

MERCHANDISING
ESPOSITORI



DOUBLE-SIDED SLIDING DISPLAY 120x120
Size: 170x70x100H cm
Weight: 100 kg
Suitable for 10 pcs in 120x120 cm



BASIC FOLDABLE DISPLAY | CULLA 10
Size: 80x61x2cm
Weight: 3,45 kg
Suitable for 10 pcs in 60x60 cm

BASIC FOLDABLE DISPLAY | CULLA 8
Size: 80x85x2cm
Weight: 3,75 kg
Suitable for 8 pcs in 80x80 cm
and /or in 60x120 cm



CARATTERISTICHE

TECNICHE

Technical characteristics

Floor Italia ceramiche è GARANZIA e CERTIFICAZIONE emessa dal Centro Ceramico Bologna
Floor Italia ceramiche is your CERTIFIED GUARANTEE. Certification issued by Centro Ceramico Bologna

	PROPRIETÀ PROPERTY	UNITÀ DI MISURA UNIT	RISULTATO DEL TEST TEST RESULTS	NORMA DI RIFERIMENTO EU EUROPEAN STANDARD	VALORI LIMITE EU STANDARD REQUIREMENTS	CONFRONTO DECISION
	Aspetto: piastrelle senza difetti Appearence: tiles without any faults	%	100	UNI EN 98 UNI EN ISO 10545-2	-	Conforme Fulfill
	Lunghezza e larghezza (tolleranza media) Lenght and width (overage dimension tolerance)	%	+/- 0,1	UNI EN 98 UNI EN ISO 10545-2	+/- 0,50	Conforme Fulfill
	Variazione di spessore Deviation in Thickness	%	+/- 0,8 max	UNI EN 98 UNI EN ISO 10545-2	+/- 0,50	Conforme Fulfill
	Rettilineità degli spigoli Straightness of sides	%	+/- 0,1% max	UNI EN 98 UNI EN ISO 10545-2	+/- 0,50	Conforme Fulfill
	Ortogonalità Rectangularity	%	+/- 0,1% max	UNI EN 98 UNI EN ISO 10545-2	+/- 0,60	Conforme Fulfill
	Planarità Surface flatness	%	+/- 0,1% max	UNI EN 98 UNI EN ISO 10545-2	+/- 0,50	Conforme Fulfill
	Assorbimento dell'acqua Water absorption	%	0,10	UNI EN 99 ISO 10545.3	≤ 0,5	Conforme Fulfill
	Resistenza alla rottura Breaking strength	%	2506	UNI EN 182 ISO 10545.4	≥ 1300	Conforme Fulfill
	Resistenza alla flessione Flexural strength	N/2mm	45,3	UNI EN 100 ISO 10545.4	≥ 27	Conforme Fulfill
	Resistenza all'abrasione profonda Deep abrasion resistance	³mm	137	UNI EN 102 ISO 10545.6	≤ 205	Conforme Fulfill
	Resistenza alle macchie (pulibilità della superficie) Stain resistance (surface cleanability)	Classe Class	5 Facilmente pulibili Easily cleanable	ISO 10545.14	-	Conforme Fulfill
	Resistenza agli shock termici Thermal shock resistance	-	Resistente Resistant	UNI EN 104 ISO 10545.9	-	Conforme Fulfill
	Resistenza chimica Chemical resistance	-	Resistente Resistant	UNI EN 106 ISO 10545.13	-	Conforme Fulfill
	Resistenza al gelo Frost resistance	-	Resistente Resistant	UNI EN 202 ISO 10545.12	-	Conforme Fulfill

SIMBOLOGIA

Symbology

STONALIZZAZIONE SHADE VARIATION											
Digital Technology	Pavimento Floor Tile	Rivestimento Wall Tile	Spessore Thickness	Uniform Uniform	Lieve Light	Moderata Moderate	Alta High	Random Random	Scivolosità Slipperiness	Rettificato Rectified	M00 Codice prezzo Price Code
											P00 Codice prezzo al pezzo Price Code per piece

CONSIGLI PER LA POSA

E LA PULIZIA

CONSIGLI PER LA POSA E LA PULIZIA

Floor Italia consiglia sempre la posa in opera del gres porcellanato levigato e satinato con la realizzazione di fughe, o giunti di posa, delle dimensioni minime di 2 mm, o comunque adeguate alle tolleranze dimensionali delle piastrelle. Per fuga si intende lo spazio che separa una piastrella ceramica dall'altra. Va riempito con apposito materiale non ceramico. Le fughe possono esaltare il dinamismo ed i movimenti prospettici del pavimento evidenziando il reticolo formato dalle piastrelle, oppure, a seconda degli orientamenti progettuali, renderlo meno visibile riducendo lo spessore della fuga e utilizzando stucchi colorati omogenei con i pigmenti del materiale ceramico.

La fuga, oltre che assolvere ad una chiara funzione estetica, contribuisce ad assorbire piccoli scostamenti di planarità che possono realizzarsi in fase di posa in opera. Inoltre elimina le pur minime tolleranze dimensionali delle piastrelle. Il gres porcellanato è caratterizzato da un bassissimo livello di assorbimento d'acqua. La porosità particolarmente ridotta è data dai micropori. La finitura levigata, pur con una grande compattezza del corpo ceramico, presenta una certa microporosità sulla superficie che aumenta i rischi di macchiature.

Per questo le superfici dei prodotti Floor Italia sono attentamente trattate preventivamente, protette fino alla posa in opera anche da un sottile strato cerato. In seguito, una corretta e continua manutenzione consente di evitare i problemi di macchie irreversibili. In commercio sono reperibili diversi prodotti, sia per la protezione dalle macchie sia per la pulizia dello sporco quotidiano, che rientrano nella categoria dei comuni detergenti lavapavimenti per superfici ceramiche.

Si consiglia la pulizia immediata dei pavimenti dopo la stuccatura per evitare che i materiali utilizzati durante la posa in opera penetrino nei micropori macchiando i pavimenti in modo irreversibile.

PAVIMENTI SOPRAELEVATI

Il gres porcellanato Floor Italia è particolarmente indicato e utilizzato con successo per la realizzazione di pavimenti sopraelevati e facciate ventilate.

Il pavimento sopraelevato è una pavimentazione tecnica ad alte prestazioni che unisce la resa estetica di un pavimento tradizionale alla flessibilità di un pavimento modulare totalmente ispezionabile.

Ogni pannello del pavimento può infatti essere sollevato con una semplice ventosa dando immediato accesso al sottopavimento: questo garantisce la possibilità di ispezione immediata degli impianti sotto esistenti senza bisogno di complessi e invasivi interventi indispensabili con un pavimento tradizionale. Il pavimento sopraelevato permette inoltre di espandere i suddetti impianti in tempi brevissimi: passare un nuovo cavo dati o una nuova tubazione non comporta la distruzione di ampie aree di pavimento ma solo il sollevare alcune file di pannelli.

Il sistema permette inoltre di sostituire pannelli danneggiati in maniera immediata o di cambiare anche solo parti di pavimento per fini puramente estetici senza alcun tipo di opera muraria.

Suggestions for laying

and maintenance

SUGGESTIONS FOR LAYING AND MAINTENANCE

For laying porcelain tiles Floor Italia recommends the creation of joint, or laying joints, at least 1 mm, of a suitable dimension for the dimensional tolerance of tiles. Joint means the space between one tile and another one. It has to be filled in by special non ceramic materials.

Joints can enhance the dinamic movements of flooring, high-lighting the grid made by tiles, or can make it less clear, according to the projectual trends, reducing the joint thickness and using coloured stuccos similar to ceramic material pigments. Joint are also useful in order to absorb any eventual small flatness deviation during the tiles laying. Moreover, they avoid any minimal dimensional tolerances of tiles.

Polished porcelain tiles are characterised by a very low level of water absorption. The extremely low porosity is due to micropores. Polishing, with a high level of compactness, creates a slight microporosity on the surface that extends the risks of staining. For that reason, surface of Floor Italia items are preventively carefully treated, protected by a thin wax coat untill laying. Afterwards, a correct and continuous daily maintenance allow to avoid irreversible staining problems.

Various products are available on the market, either against staining either for cleaning of daily dirt, included among the common detergents for ceramic floors.

RAISED FLOOR

Floor Italia Ceramiche porcelain tiles are particularly indicated and successfully used to realize raised floors and ventilated facades.The raised floor is a high performances technical flooring. It joins the aesthetic yield of a traditional floor to the flexibility of a totally inspectable modular floor.

Every panel of the floor can be raised with a simple suction cap giving immediate access to the under floor: this guarantees the possibility of immediate inspection of the under laid systems without need of complex and invasive interventions that are indispensable with a traditional floor. Moreover the elevated floor allows to expand wide areas of floor but only raising some rows of panels.

Therefore, the system allow to replace damaged panels in an immediate way or also changing only parts of floor for pure aesthetic goals without any type of work building.



CONDIZIONI GENERALI DI VENDITA

1.0 APPLICABILITÀ DELLE CONDIZIONI

1.1 Le presenti condizioni generali (qui di seguito le "CONDIZIONI") costituiscono parte integrante di tutti i contratti di vendita delle piastrelle ed altro materiale ceramico (qui di seguito "il/i PRODOTTI") a cui sia parte la WORLD OF ITALY SRL (qui di seguito il "VENDITORE"). Salvo singoli in casi in cui esse siano state derogate con espresse pattuizioni scritte a firma del VENDITORE, esse costituiranno la disciplina esclusiva di tali vendite. Se una o più parti di tali CONDIZIONI o di singoli contratti che le includano risultassero invalide, le CONDIZIONI generali o particolari resteranno valide nel loro complesso; le parti invalide saranno sostituite con pattuizioni che si avvicinino il più possibile alla originaria volontà delle parti.

2.0 CONCLUSIONE DEL CONTRATTO DI VENDITA-CONSEGNA DEI PRODOTTI

2.1 Il Contratto si intende concluso al momento in cui il proponente o l'ordinante vengano a conoscenza del consenso scritto della controparte.
2.2 L'ordine non confermato per iscritto in nessun caso potrà intendersi accettato salvo esecuzione del medesimo da parte del VENDITORE mediante spedizione o consegna dei PRODOTTI ordinati non comporta l'accettazione dell'intero ordine, ma sola di quella parte di PRODOTTI effettivamente consegnati.
2.3 Salvo diverso accordo scritto la consegna dei PRODOTTI e la resa degli stessi in Italia ed all'estero avverrà secondo la formula di "Franco Fabbrica".
2.4 Salvo diverso accordo, tutte le date indicate come termine di consegna si intendono a titolo indicativo.
2.5 **Nel caso di vendita franco partenza la merce viaggia a rischio e pericolo del compratore. Ogni responsabilità del venditore cessa pertanto con la consegna al vettore nei confronti del quale il compratore dovrà presentare eventuale reclamo per qualsiasi avaria, rottura o danneggiamento verificati alla consegna.**

3.0 CARATTERISTICA DEI PRODOTTI-GARANZIA-RECLAMI

3.1 Le Piastrelle in ceramica ed altri PRODOTTI ceramici fabbricati dalla WORLD OF ITALY SRL sono conformi alle norme europee UNI-DIN-EN. Il VENDITORE vende esclusivamente ai rivenditori professionali, i quali sono responsabili della correttezza delle informazioni tecniche fornite agli utilizzatori finali e/o ai negozi al dettaglio. La classificazione del prodotto è indicata dal VENDITORE sul materiale pubblicitario e/o sui listini prezzi, l'Acquirente deve di conseguenza utilizzare i PRODOTTI sulla base della classificazione fornita dal VENDITORE. Per facilitarne le indicazioni di utilizzo, ed adottare le classificazioni standard alle specificità della produzione del VENDITORE, a fronte di ogni prodotto, nei listini o sui cataloghi sono posti dei segni che indicano l'uso specifico consigliato dal VENDITORE.
3.2 Le differenze di tonalità non sono un difetto del PRODOTTO bensì una caratteristica dello specifico materiale cotto ad alte temperature. Il particolare requisito di ingelività si applica solo ai PRODOTTI che il VENDITORE garantisce espressamente con apposita indicazione sul materiale pubblicitario e/o listini. In mancanza di tale indicazione i materiali ceramici si considerano solo ed unicamente per uso in interni o comunque in locali protetti da intemperie.
3.3 I materiali in ceramica con superficie lucida non possono essere utilizzati in locali a piano terreno con accesso all'esterno, né in locali in cui sia previsto un grande calpestio. Le piastrelle brillanti sono inoltre suscettibili di una certa scivolosità, specialmente se bagnate, il VENDITORE ne sconsiglia di conseguenza l'uso in locali pubblici. Per i locali ove sia previsto un grande calpestio l'acquirente dovrà acquistare solo i PRODOTTI classificati dal VENDITORE come PEI V (IV), ed in particolare quelle piastrelle che il VENDITORE consiglia SPECIFICAMENTE per uso in locali pubblici.
3.4 Le rappresentazioni dei PRODOTTI sui depliant ed altri materiali pubblicitari del VENDITORE sono puramente illustrative e non rappresentano necessariamente il risultato estetico finale di posa del PRODOTTO rappresentato.
3.5 Il VENDITORE garantisce la buona qualità e l'assenza di vizi nei PRODOTTI forniti. La garanzia non si applica per PRODOTTI classificati dal VENDITORE per qualità inferiore a 1° scelta o per partite di PRODOTTI di fine serie, vendute in blocco e segnalate come partite speciali. È comunque prevista una tolleranza del 5%.
3.6 Il VENDITORE non è responsabile per vizi e/o anomalie rilevate sui PRODOTTI stessi ma all'uso improprio degli stessi da parte degli acquirenti e/o dei suoi aventi causa. In particolare il VENDITORE non accetta reclami o contestazioni in relazione alle situazioni precedentemente descritte.
3.7 I reclami devono essere comunicati dall'acquirente al VENDITORE entro 8 giorni dalla consegna della merce. Per vizi occulti il termine è di 8 giorni dalla scoperta del vizio. In nessun caso il VENDITORE risponderà per vizi che vengano

denunciati dopo 12 mesi dalla consegna dei PRODOTTI all'acquirente. Per i vizi occulti la garanzia si applica fino a due anni dopo la consegna dei prodotti al primo acquirente e del VENDITORE. La denuncia di vizi dovrà essere notificata al VENDITORE tassativamente entro e non oltre 8 giorni dalla scoperta.
3.8 In generale la garanzia si applica solo per i vizi rilevati in prodotti non ancora posati. Per eventuali vizi occulti rilevabili solo successivamente alla posa, ai fini dell'applicazione della garanzia, è necessario che il VENDITORE accerti che la posa sia stata eseguita a regola d'arte (norme DIN18352).
3.9 La garanzia del VENDITORE si limita alla sostituzione dei prodotti difettosi con altri dello stesso tipo esenti da vizi, trasporto incluso. È escluso il rimborso di altri oneri e/o spese accessorie e, in particolare i costi di demolizione e posatura dei PRODOTTI. In tutti i casi la garanzia del VENDITORE non potrà eccedere cinque volte il valore del materiale contestato, con un massimo assoluto di 10.000.
3.10 Il VENDITORE non risponde per reclami dovuti ad una classificazione del materiale ceramico da parte di organismi di controllo e/o certificazione estere, diversa da quella italiana, sulla base di specifiche tecniche che non corrispondano a quelle utilizzate dal VENDITORE. Eventuali expertise tecnici attivati dagli acquirenti dovranno necessariamente basarsi sulla conformità del materiale venduto alle specifiche tecniche indicate dal VENDITORE in vigore in Italia.

4.0 PREZZI E CONDIZIONI DI PAGAMENTO

4.1 I prezzi di vendita dei PRODOTTI sono quelli indicati nel listino del VENDITORE in vigore al momento della conferma d'ordine. In casi di contratti di vendita a consegne ripartite il prezzo, se non convenuto fermo per iscritto, sarà quello del listino in vigore al momento delle singole consegne. Per tutti i PRODOTTI destinati all'estero i prezzi potranno essere calcolati, a scelta dal VENDITORE, nella valuta estera del paese di destinazione o in euro.
4.2 Tutte le spese bancarie e di negoziazioni sono a carico dell'Acquirente. In caso di ritardo dei pagamenti, il VENDITORE avrà diritto a percepire, senza alcuna necessità di messa in mora, oltre agli eventuali danni, un interesse moratorio pari al tasso ufficiale di sconto in Italia maggiorato del 5%.

5.0 AGENTI DEL VENDITORE

5.1 Gli agenti del VENDITORE promuovono le vendite e non sono autorizzati ad agire in nome e per conto del VENDITORE salvo specifica autorizzazione scritta.
5.2 Gli ordini trasmessi dagli agenti non vincolano il VENDITORE e devono essere espressamente accettati per iscritto dal VENDITORE stesso.

6.0 RISERVATO DOMINIO

6.1 È convenuto tra le parti che la vendita dei PRODOTTI è effettuata con riserva di proprietà a favore del VENDITORE sino a totale pagamento del prezzo pattuito, ai sensi dell'art.1523 e seguenti dei c.c.
Tuttavia il rischio di perimenti della merce passa all'acquirente dal momento della consegna dei PRODOTTI. Nella vendita all'estero, nel caso in cui la merce sia venduta e consegnata a clienti terzi prima del passaggio di proprietà, nell'ambito di normali rapporti commerciali dell'Acquirente stesso, la riserva di proprietà favore del VENDITORE permane anche nei confronti dei terzi ove la legge lo consenta.
6.2 In caso di mora dell'Acquirente il VENDITORE potrà, senza necessità di alcuna formalità, compresa la messa di mora, ritirata tutta la merce oggetto di riservato dominio ed eventualmente, se la legge lo consente, tutti i titoli di credito verso terzi ad essa afferenti, con riserva di ogni ulteriore opportuno rimedio in via giudiziale per il pregiudizio subito.

7.0 FORZA MAGGIORE

7.1 Il VENDITORE non è responsabile nei confronti dell'Acquirente per ogni inadempimento, compreso la mancata o ritardata consegna, causata da eventi al di fuori del suo ragionevole controllo quali, a titolo meramente indicativo, mancata o ritardata consegna dei materiali di lavorazione da parte dei fornitori, guasti agli impianti, scioperi ed altre azioni sindacali, interruzione dei flussi energetici, sospensione o difficoltà dei trasporti.

8.0 DIRITTO APPLICABILE - FORO COMPETENTE

8.1 I contratti di vendita all'esportazione cui sia parte il VENDITORE sono regolati dalla legge italiana, ed in particolare dalla Conservazione sui Contratti di Vendita Internazionali dei beni mobili, ove non derogata dalla presente CONDIZIONI e dalla convenzione di Vienna dell'11 Aprile 1980.
8.2 Foro competente per tutte le controversie relative alle vendite di PRODOTTI da parte del VENDITORE e dei rapporti connessi a tali vendite è IL FORO della sede legale del VENDITORE anche qualora l'azione promossa riguarda titoli di credito rilasciati al VENDITORE quali mezzi di pagamento.

GENERAL CONDITIONS OF SALES

1.0 APPLICABILITY CONDITIONS

1.1 These General conditions (the CONDITIONS) constitute the most important part of each contract of sale of tiles and any other ceramic materials (the PRODUCTS) in which WORLD OF ITALY SRL (the SELLER) is one of parties. Excepted single cases which they have been derogated by explicitly written agreements signed by the SELLER, they will constitute the exclusive discipline of such sales. If one or more parts of these conditions, or of single contracts including them, result to be invalid, the general or the particular CONDITIONS will remain valid as whole: invalid parts will be substituted through agreements that are as close as possible to the original will of the parties.

2.0 CONDITIONS OF THE CONTRACT OF SALE-DELIVERY

2.1 The contract is intended to be concluded at the moment in which the written contest of the counterpart has come to the knowledge of the proponent and of the person ordering the contract.
2.2 The order that has not been confirmed in writing cannot be considered accepted in any case, except for the performance of the contract itself by the SELLER through shipment or delivery of the PRODUCTS. The partial delivery of ordered PRODUCTS doesn't involve that the whole order has been accepted, but only that part of PRODUCTS actually delivered.
2.3 Except a different written agreement, the delivery of PRODUCTS in Italy or abroad will take place "ex-works".
2.4 Except a different written agreement, all the dates given as delivery dates are intended in an indicative sense.

3.0 CHARACTERISTICS OF THE PRODUCTS - WARRANTY - COMPLAINTS

3.1 Ceramic tiles and other CERAMIC products produced by WORLD OF ITALY SRL comply with European norms UNI-DIN-EN. The SELLER sells exclusively to professional resellers that are responsible for the accuracy of technical informations given to final users and/or to retailers. The classification of product is indicated by the SELLER on advertising material and/or on price lists. Therefore the purchaser must use the PRODUCT according to the classification given by the SELLER. To facilitate the directions for the use of products and to adapt standards qualifications to the specificity of the production, marks connected with each single product are put in price lists and catalogues, indicating the specific use advised by the SELLER.
3.2 Differences in the tone are not defects of the PRODUCT but a characteristic of the specific material fired at high temperatures. The particular requisite of frost resistance is applied only to those PRODUCT explicitly guaranteed by the SELLER with the relative indication on advertising material and/or price list. In case this indication is not given, ceramic material are considered only and exclusively for indoor use or use in places protected from bad weather.
3.3 Ceramic materials with polished surface can never be used in places located on the ground floor with access outside or in places with great pedestrian traffic. In addition polished tiles are susceptible for a certain slipperiness especially when they are wet. The SELLER advises therefore not to use them in public places. In places with great pedestrian traffic the purchase will have to buy only those PRODUCTS classified by the SELLER as PEI V, and in particular those tiles that the SELLER advises SPECIFICALLY for use in public places.
3.4 The pictures of the PRODUCTS on leaflets and on other advertising material by the PRODUCER are only illustrative and they do not represent necessarily the final aesthetic result of laying of the PRODUCT.
3.5 The SELLER guarantees the good quality and the absence of defects of the products supplied, the warranty is not applied to those PRODUCTS classified by the SELLER as non first quality products or to lots of PRODUCTS of the end of a series, sold in bulk and pointed out as special lots. However 5% tolerance is provided.
3.6 The SELLER is not responsible for defects and/or anomalies found out in the PRODUCTS that are not due to their quality, but to an improper use of them by the purchaser and/or by their assignees. In particular the SELLER doesn't accept complaints or contestations concerning the above mentioned situation.
3.7 Complaints must be communicated by the purchaser to the SELLER within 8 days from the delivery of goods. In case of defects, the term is 8 days from the discovery. In any case the SELLER is not responsible for the defects denounced 12 months after the delivery of the PRODUCTS to the purchaser. In case of hidden defects the warranty is applied to up 2 years after the delivery of the PRODUCTS on the first purchaser.
The denunciation of defects must be notified to the SELLER within and not later than 8 days from the discovery.

3.8 In general the warranty is applied only for defects found out in products that have not yet been lied. In case of hidden defects, detectable only after lying it's necessary for the SELLER to verify that the lying has been carried out duly (conforming to DIN 1852).
3.9 The SELLER's warranty is limited to the substitution of faulty PRODUCTS with other products of the same model without defects, freight included. The reimbursement of other expenses or additional costs, and in particular demolition costs and money paid for a second laying of the PRODUCTS is excluded. In any case the SELLER's warranty cannot exceed 5 times the value of the contested material, with an absolute maximum of 10.000.
3.10 The SELLER is not responsible for complaints due to classifications of the ceramic material by foreign bodies for control and/or certification that is different from the Italian one, according to technical specifications that don't correspond to those used by the SELLER.
In case of technical expertise acted by the purchaser, this must be necessarily on the conformity of the sold material with the specifications indicated by the SELLER in force in Italy.

4.0 PRICES AND CONDITIONS OF PAYMENT

4.1 The sale prices of PRODUCTS are those indicated in the price list of the SELLER in force at the moment of the confirmations of the order.
In case of contracts of sale and delivery of goods divide in parts, and there is no written agreement on the subject, the price is the one indicated in the price list in force at the moment of the delivery of each single portion of goods.
For all the PRODUCTS destined to the foreign market prices can be calculated at SELLER's choice in the foreign currency of the destination country or Euro. Every bank and negotiation costs have to be debited to the Purchaser. In case of delay in the payment the SELLER has the right, without necessity of putting into Mora to cash a moratoria interest amount to the official discount rate in Italy, plus 5%, apart from economical damages occurred.

5.0 SELLER AGENT

5.1 The SELLER's agents promote sales but are not authorized to act in the name and on behalf of the SELLER except in case of a specific written permission.
5.2 The orders transmitted by the agents don't bind the SELLER. Therefore they must be accepted in writing by the SELLER.

6.0 RESERVED DOMINION

6.1 It's agreed between the parties that the sale of the PRODUCTS is carried out with reserve of propriety in favour of the SELLER up to the total payment of the agreed price, according to the Italian Civil Code, art. 1523 and following. However the risk of deterioration of the goods passes to the purchaser from the moment of the delivery of the PRODUCTS. In the sales of PRODUCTS abroad, in case of the goods are sold and delivered to third customers before the transfer of title, within the ordinary relations of the purchaser himself, the reserve of property in favour of the SELLER remains also toward third customers, when the law permits it.
6.2 In case of Mora of the Purchaser, the SELLER can take back all the goods object of reserved dominion without any formality, including the putting into Mora, and if the law permits it, all documents of credit to third people relative to these goods, with reserve of any proper legal remedy for the prejudices suffered.

7.0 SUPERIOR FORCE

7.1 The SELLER is not responsible towards the PURCHASER for non fulfilment, including non-delivery or delay in delivery due to events outside his reasonable control, as for example non-delivery of materials by the supplier, breakdown of plants, strikes or other sindacal actions, interruption of energy supply, interruption or difficulty of transport.

8.0 APPLICABLE LAW-COMPETENT COURTS

8.1 The contracts of sale to export in which the SELLER is one of the party are governed by the Italian law and in particular by the "Preservation of International Contracts of Sale" of movables, where it's not derogated by these CONDITIONS and by the Convention of Vienna (11 April 1980).
8.2 The competent court for any controversy concerning the sale of the PRODUCTS by the SELLER and the trade relation connected with the above mentioned sales is the court of the registered office of the SELLER even when the legal action started concerns documents of credits released to the SELLER, as means of payment.



La Prima azienda ceramica

impegnata nella Responsabilità Sociale d'Impresa per la salvaguardia delle api e del loro ecosistema.

The First company in the ceramic industry committed to Corporate Social Responsibility issues for the protection of bees and their ecosystem.

© 2025 Floor Italia ceramiche by World of Italy srl. All rights reserved.



Le informazioni contenute nel presente catalogo sono il più possibile esatte, ma non sono da ritenersi legalmente vincolanti. Per esigenze di produzione l'Azienda si riserva il diritto di apportare eventuali modifiche che si rendessero necessarie. Peso, colori e misure sono soggetti alle inevitabili variazioni tipiche del processo di cottura della ceramica. Per ragioni tecniche di stampa i toni riprodotti possono presentare delle alterazioni di colore rispetto ai campioni originali.

FLOOR ITALIA CERAMICHE SI RISERVA LA FACOLTÀ DI MODIFICARE LE INFORMAZIONI TECNICHE RIPORTATE IN QUESTO CATALOGO.

The information contained in this catalogue is as accurate as possible, but cannot be considered as legally binding. The Company reserves the right to make any modifications that become necessary due to production requirements. Weight, colours and dimensions are subject to the inevitable variation typical of the ceramic firing process. For technical printing reasons, the colours shown may slightly differ from the actual tiles.

FLOOR ITALIA CERAMICHE RESERVES THE RIGHT TO MODIFY THE TECHNICAL INFORMATION QUOTED IN THIS CATALOGUE.



FLOOR ITALIA[®]
C E R A M I C H E

Floor Italia ceramiche[®] | World of Italy srl

Ufficio & Sede legale

Headquarter & Registered office

Via Spineta 12/B

84091 Battipaglia (SA) Italy

P.IVA | VAT.No. IT 04145340651

+39 0828 308 161

ITALIA & EUROPE

sales@flooritaliaceramiche.it

office@flooritaliaceramiche.it

INTERNATIONAL

export@flooritaliaceramiche.it

Showroom & Deposito

Warehouse

Via Radici in Piano, 71

41043 Formigine (MO) Italy

 |  @flooritaliaceramiche

www.flooritaliaceramiche.it





www.flooritaliaceramiche.it