

Porcelaingres. Smart Book.



2026

All Collections.

Concrete

Cosmo	42
Urban [Updated]	52
Urban Great Large slabs	64
Soft Concrete	72
Stardust Full Body	82

Stone

Eternal Stone [New]	30
Estro Full Body	90
Solid Stone	100
Dune [Updated]	110
Native Stone	120
Royal Stone [Updated]	130
Great Royal Stone Large slabs	142
Loft Full Body	150
Silk Stone	160

Marble

Great Elite Large slabs	168
Great One Large slabs	176

Color

Color Studio	184
--------------	-----

Metal

Radical	194
---------	-----

Wood

Pure Wood	202
In Wood	210

1 2026 News.

New Launches & Updates	4
------------------------	---

2 Identity.

Who we are	10
What we do	14
Sustainability	18
Wind Turbine Upcoming project	24

3 Products.

New collection	28
Core collections	40
Outdoor solutions	218
Collections overview	232

4 Insights.

Full Body	236
Edge finishes	238
Certifications	240
Technical product features	242
Packaging details Large slabs	250
Outdoor installations	262

5 Finder.

Search by: 6 mm	276
Search by: 8 mm	278
Search by: 20 mm	280
Search by: Special formats	282
Search by: Skid Resistance “R”	286
Search by: Shades & Effects	288

1

2026 News.

Explore what’s new and evolved.
Inspiration starts here.

- **New Launch** – Introducing Eternal Stone:
A refined selection of stone-inspired surfaces
designed for timeless elegance and durability.

Stone

Eternal Stone	30
---------------	----

- **Updates** – Core collections:
Now available in **120×120 cm**, thicknesses **8/20 mm**,
manufactured at our Vetschau facility in Germany:

Concrete

Urban	52
-------	----

Stone

Dune	110
Royal Stone	130

From inspiration
to realization.


**Let's start a project.
Together.**

2

Identity.
Porcelain stoneware surfaces,
where Italian design meets German quality.

Who we are	10
What we do	14
Sustainability	18
Wind Turbine Upcoming project	24

Porcelaingres. Timeless.



Who we are

Since 2003, we produce high-quality, innovative, and eco-sustainable ceramic surfaces, that combine the excellence of Italian design with the highest production quality Made in Germany.

Our two production plants, one in Castellarano (Italy), and the other in Vetschau (Germany), use the best raw materials and technologies.

We are part of Iris Ceramica Group, a large Italian group with a history of over 60 years, a world leader in the design, production and distribution of high-quality slabs.



84.000 m²
Production Area

Porcelaingres production site in Vetschau (Germany).

What we do

From the beginning, we have specialized in the production of porcelain slabs in standard sizes and special formats: our product range includes a wide variety of colors, finishes, effects, as well as formats and thicknesses.

Our philosophy is to embrace change as an opportunity to challenge, develop and optimize our standards.

Our goals to discover the full potential of our brand and provide an enhanced experience for our customers has driven us to create a range of premium products and services.

At every step of the purchasing journey and beyond, we provide a comprehensive package that encompasses top-tier products, exclusive consulting services, personalized solutions, and expert support.





**4.5 milion m²
Production Capacity**


Ceramic rollers on which our porcelain slabs run through the kilns at our production site in Vetschau (Germany).



Sustainability

We are committed to ensuring that the production of porcelain slabs respects sustainable and responsible models through:

- **Low Ecological Footprint Materials:** We source our raw materials from suppliers who share our commitment to sustainability and high quality. We use only natural materials or materials derived from industrial waste and we recycle our waste directly at the place of production.
- **Energy and Water Savings:** We invest in cutting-edge technologies that reduce energy and water consumption. Our production processes are designed to minimize waste and optimize efficiency. The water required for production is sourced from an artificial reservoir at our facility, where rainwater is collected, filtered, and reused. We do not use water from aqueducts or underground wells.
- **Carbon Emission Reduction:** We are committed to reducing the amount of greenhouse gases emitted into the atmosphere by our operations. We introduce renewable energy sources, improve transport logistics, and minimize waste. Recycling the hot air from the kilns to generate energy allows us to reduce CO₂ emissions at all our facilities by as much as 4,000 tons per year.
- **ISO 50001 Certificates obtained since 2013.**



**2.4 Megawatt of
peak electricity
from solar energy.**

Thanks to the 800-square-meter photovoltaic system, the plant generates around 2.4 megawatts of peak electricity from solar energy.



**Water Sourcing
for Production.**

The water we need for our production comes from a pond located at our production site, where rainwater is collected, filtered and (re)used.



Recycling of production waste:

- 7.150 tons of powder and unburnt slabs.
- 10.500 tons of burnt production waste.

The impact of sourcing raw materials is mitigated through the recycling of production waste.

Wind Turbine Upcoming project

We are excited to announce a project to build a wind turbine as a commitment to new sustainability standards.

This project represents a significant progress in our mission to reduce environmental impact and promote sustainable practices in all our operations.

The wind turbine will be designed to generate clean and renewable energy. The wind generator serves as an innovative response to powering our production activities.

We hope that the wind turbine will become a model for the adoption of alternative energy sources and the demonstration of concrete choices that industrial entities can make to address green challenges.

We think that our project will be able to inspire other companies to follow this example and contribute to the wider effort to achieve new standards of sustainability.

We believe this decision represents a significant step, and we look forward to sharing more information about this exciting project in the coming months.



3

Products.

Since 2003, we have specialized in the production of porcelain slabs: our product range includes a wide variety of colours, finishes, effects, as well as formats and thicknesses.

New collection	28
Core collections	40
Outdoor solutions	218
Collections overview	232



New Collection

A fusion of modern design and elegance.

Discover our new range where style knows no limits, inspiring creativity and setting a new standard for your projects.

Stone

Eternal Stone	30
---------------	----



Collection: Eternal Stone | Color: Travertino



Collection: Eternal Stone | Colors: Travertino, Crema Marfil



Eternal Stone | Summary

New collection




Collection: Eternal Stone | Color: Crema Marfil – Decor



Inspiration | [click here](#)

Visit the collection webpage
in other languages.

Colors



Crema Marfil



Travertino



Decor
All colors

Technical features

Natural Plus | R10 A+B ± 6 mm

- 150×75
- 100×100
- 75×75

Natural Plus | R10 A+B ± 8 mm

- 120×120
- 120×60 + Decor
- 60×60
- 60×30

Antislip | R11 A+B+C ± 8 mm

- 60×60

Antislip | R11 A+B+C ± 20 mm

- 120×120
- 120×60
- 100×100
- 60×60

Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process
products assessed and found to comply
with the LEED and BREEAM regulations.

Eternal Stone

[New collection] Product details – **Part 1 of 2**

Technical product features at page **244**[illegible]

Eternal Stone

[New collection] Product details – **Part 2 of 2**

Technical product features at page **244**[illegible]

Core Collections

Crafted to blend in, built to stand out.

A selection of established, versatile surfaces developed for a wide range of applications. These collections offer consistent quality, timeless aesthetics, and formats suitable for various projects.



Concrete

Cosmo	42
Urban [Updated]	52
Urban Great Large slabs	64
Soft Concrete	72
Stardust Full Body	82

Stone

Estro Full Body	90
Solid Stone	100
Dune [Updated]	110
Native Stone	120
Royal Stone [Updated]	130
Great Royal Stone Large slabs	142
Loft Full Body	150
Silk Stone	160

Marble

Great Elite Large slabs	168
Great One Large slabs	176

Color

Color Studio	184
--------------	-----

Metal

Radical	194
---------	-----

Wood

Pure Wood	202
In Wood	210



Collection: Cosmo | Color: Cosmo Beige



Collection: Cosmo | Colors: Cosmo Anthracite, Cosmo Brown



Cosmo | Summary



Collection: Cosmo | Color: Cosmo Grey



Inspiration | [click here](#)
Visit the collection webpage
in other languages.

Colors



Cosmo
Beige



Cosmo
Grey



Cosmo
Brown



Cosmo
Anthracite

Technical features

Natural Plus | R10 A+B ± 6 mm

- 100×100

Natural Plus | R10 A+B ± 8 mm

- 120×60
- 60×60
- 60×30

Antislip | R11 A+B+C ± 20 mm

- 120×60
- 100×100
- 60×60

Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process
products assessed and found to comply
with the LEED and BREEAM regulations.

Cosmo

Product details – Part 1 of 2

Technical product features at page **246**[illegible]

Cosmo

Product details – **Part 2 of 2**

Technical product features at page **246**

[illegible]

Urban


Updated – New formats available



Collection: Urban | Color: Urban Brown – Fishbone



Collection: Urban | Colors: Urban Dove – Line Decor, Urban Beige – Weave Decor



Urban | Summary

Updated – New formats available



Collection: Urban | Color: Urban Beige



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Colors

Urban Anthracite*	Urban Dove
Urban Grey*	Urban Ivory*
Urban Sand	Urban White
Urban Cream*	Urban Beige*
Urban Mud*	Urban Brown*
Weave Decor All colors	Line Decor All colors

Technical features

Natural Plus | R10 A ± 6 mm

- 150×75
- 100×100
- 75×75

Natural Plus | R10 A+B ± 8 mm

- 120×120
- 120×60 + Weave Decor
- 60×60 + Weave Decor
- 60×30
- 60×10 Fishbone

Structured ± 8 mm

- 120×60 Line Decor

Antislip | R11 A+B+C ± 6/8 mm

- 120×60
- 100×100 (± 6 mm)
- 60×60
- 60×30

Antislip | R11 A+B+C ± 20 mm

- 120×120
- 120×60
- 100×100*
- 60×60

Specials

- Mosaic
- Bullnose
- Step




40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.

Urban

[Updated – New formats available] Product details – **Part 1 of 3**

Technical product features at page **242**

															Slabs Variability Index
Format (cm)	150 × 75	120 × 120	120 × 60					120 × 60	120 × 60	100 × 100				75 × 75	
Thickness (mm)	± 6 mm	± 20 mm	± 8 mm	± 20 mm	± 8 mm	± 8 mm		± 8 mm	± 8 mm	± 20 mm	± 6 mm	± 6 mm	± 6 mm	The shade variation index is a rating to determine tile variation between individual pieces of the same color group.	
Finishing	Natural Plus	Antislip	Natural Plus	Antislip	Natural Plus	Antislip	Natural Plus	Structured	Antislip	Natural Plus	Antislip	R11 A+B+C	Natural Plus		
Skid Resistance	R10 A	R11 A+B+C	R10 A+B	R11 A+B+C	R10 A+B	R11 A+B+C	R10 A+B	–	R11 A+B+C	R10 A	R11 A+B+C	R10 A	R10 A		
Description	–	–	–	–	–	–	Weave decor	Line decor	–	–	–	–	–		
Urban Anthracite	X1575290VX6	X1212290X2	X1212290X8	X126290X2	X126290X8	X126290R11X8		X1266290X8	X1267290X8	X1010290X2	X1010290X6	X1010290R11X6	X7575290VX6	 V3 different tone	
Urban Dove	X1575291VX6	X1212291X2	X1212291X8	X126291X2	X126291X8	X126291R11X8		X1266291X8	X1267291X8		X1010291X6	X1010291R11X6	X7575291VX6	 V3 different tone	
Urban Grey	X1575292VX6	X1212292X2	X1212292X8	X126292X2	X126292X8	X126292R11X8		X1266292X8	X1267292X8	X1010292X2	X1010292X6	X1010292R11X6	X7575292VX6	 V3 different tone	
Urban Ivory	X1575293VX6	X1212293X2	X1212293X8	X126293X2	X126293X8	X126293R11X8		X1266293X8	X1267293X8	X1010293X2	X1010293X6	X1010293R11X6	X7575293VX6	 V3 different tone	
Urban Sand	X1575294VX6	X1212294X2	X1212294X8	X126294X2	X126294X8	X126294R11X8		X1266294X8	X1267294X8		X1010294X6	X1010294R11X6	X7575294VX6	 V3 different tone	
Urban White	X1575295VX6	X1212295X2	X1212295X8	X126295X2	X126295X8	X126295R11X8		X1266295X8	X1267295X8		X1010295X6	X1010295R11X6	X7575295VX6	 V3 different tone	
Urban Cream	X1575299VX6	X1212299X2	X1212299X8	X126299X2	X126299X8	X126299R11X8		X1266299X8	X1267299X8	X1010299X2	X1010299X6	X1010299R11X6	X7575299VX6	 V3 different tone	
Urban Beige	X1575298VX6	X1212298X2	X1212298X8	X126298X2	X126298X8	X126298R11X8		X1266298X8	X1267298X8	X1010298X2	X1010298X6	X1010298R11X6	X7575298VX6	 V3 different tone	
Urban Mud	X1575297VX6	X1212297X2	X1212297X8	X126297X2	X126297X8	X126297R11X8		X1266297X8	X1267297X8	X1010297X2	X1010297X6	X1010297R11X6	X7575297VX6	 V3 different tone	
Urban Brown	X1575296VX6	X1212296X2	X1212296X8	X126296X2	X126296X8	X126296R11X8		X1266296X8	X1267296X8	X1010296X2	X1010296X6	X1010296R11X6	X7575296VX6	 V3 different tone	

														Note
pieces - box	2	1	2	1	2	2		2	2	1	2	2	3	
boxes - pallet	30	16	24	32	36	36		36	36	24	26	26	40	
sqm - box	2,25	1,44	2,88	0,72	1,44	1,44		1,44	1,44	1	2	2	1,688	
sqm - pallet	67,5	23,04	69,12	23,04	51,84	51,84		51,84	51,84	24	52	52	67,52	
kg - sqm	13,7067	45,0226	17,45	45,0226	17,79	17,79		17,79	17,79	45,50	14,06	14,06	13,7915	
kg - box	30,84	64,832	50,256	32,416	25,618	25,618		25,618	25,618	45,50	28,12	28,12	23,273	

Urban

[Updated – New formats available] Product details – Part 2 of 3






Technical product features at page **242**

														Slabs Variability Index
Format (cm)	60 × 60		60 × 60		60 × 30		60 × 10	30 × 30	30 × 30					
Thickness (mm)	±20 mm	±8 mm	±8 mm	±8 mm	±8 mm	±8 mm	±8 mm	±8 mm	±8 mm	±8 mm				The shade variation index is a rating to determine tile variation between individual pieces of the same color group.
Finishing	Antislip	Natural Plus	Antislip	Natural Plus	Natural Plus	Antislip	Natural Plus	Natural Plus	Natural Plus					
Skid Resistance	R11 A+B+C	R10 A+B	R11 A+B+C	R10 A+B	R10 A+B	R11 A+B+C	R10 A+B	R10 A+B	R10 A+B					
Description	-	-	-	Weave decor	-	-	Fishbone	Mosaic 3,1 × 3,1	Mosaic 4,7 × 4,7					
Urban Anthracite	X600290X2	X600290X8	X600290R11X8	X606290X8	X630290X8	X630290R11X8		X160290X8	X373290X8	X370290X8				 V3 different tone
Urban Dove	X600291X2	X600291X8	X600291R11X8	X606291X8	X630291X8	X630291R11X8		X160291X8	X373291X8	X370291X8				 V3 different tone
Urban Grey	X600292X2	X600292X8	X600292R11X8	X606292X8	X630292X8	X630292R11X8		X160292X8	X373292X8	X370292X8				 V3 different tone
Urban Ivory	X600293X2	X600293X8	X600293R11X8	X606293X8	X630293X8	X630293R11X8		X160293X8	X373293X8	X370293X8				 V3 different tone
Urban Sand	X600294X2	X600294X8	X600294R11X8	X606294X8	X630294X8	X630294R11X8		X160294X8	X373294X8	X370294X8				 V3 different tone
Urban White	X600295X2	X600295X8	X600295R11X8	X606295X8	X630295X8	X630295R11X8		X160295X8	X373295X8	X370295X8				 V3 different tone
Urban Cream	X600299X2	X600299X8	X600299R11X8	X606299X8	X630299X8	X630299R11X8		X160299X8	X373299X8	X370299X8				 V3 different tone
Urban Beige	X600298X2	X600298X8	X600298R11X8	X606298X8	X630298X8	X630298R11X8		X160298X8	X373298X8	X370298X8				 V3 different tone
Urban Mud	X600297X2	X600297X8	X600297R11X8	X606297X8	X630297X8	X630297R11X8		X160297X8	X373297X8	X370297X8				 V3 different tone
Urban Brown	X600296X2	X600296X8	X600296R11X8	X606296X8	X630296X8	X630296R11X8		X160296X8	X373296X8	X370296X8				 V3 different tone
														Note
pieces - box	2	4	4	4	8	8		15	11	11				*Production upon request
boxes - pallet	30	32	32	32	40	40		60	-	-				
sqm - box	0,72	1,44	1,44	1,44	1,44	1,44		0,9	0,99	0,99				
sqm - pallet	21,6	46,08	46,08	46,08	57,6	57,6		54	-	-				
kg - sqm	45,2407	17,41	17,41	17,41	17,33	17,33		17,33	1,57	1,57				
kg - box	32,573	25,07	25,07	25,07	24,955	24,955		15,597	17,27	17,27				

Urban

[Updated – New formats available] Product details – **Part 3 of 3**

Technical product features at page **242**

					*	*		*	*	*					Slabs Variability Index
Format (cm)	 120 × 7	 100 × 6,5	 75 × 6,5	 60 × 7	 150 × 37,5	 120 × 30		 100 × 30	 75 × 37,5	 60 × 30					
Thickness (mm)	 8 mm	 6 mm	 6 mm	 8 mm	 6 mm	 8 mm		 6 mm	 6 mm	 8 mm					The shade variation index is a rating to determine tile variation between individual pieces of the same color group.
Finishing	Natural Plus	Natural Plus	Natural Plus	Natural Plus	Natural Plus	Natural Plus		Natural Plus	Natural Plus	Natural Plus					
Skid Resistance	-	-	-	-	R10 A	R10 A+B		R10 A	R10 A	R10 A+B					
Description	Bullnose	Bullnose	Bullnose	Bullnose	Step with grooves	Step with grooves		Step with grooves	Step with grooves	Step with grooves					
Urban Anthracite	X1207290X8	X1065290X6	X765290VX6	X670290X8	X3715290VX6	X3213290X8		X3100290X6	X3775290VX6	X360290X8					 V3 different tone
Urban Dove	X1207291X8	X1065291X6	X765291VX6	X670291X8	X3715291VX6	X3213291X8		X3100291X6	X3775291VX6	X360291X8					 V3 different tone
Urban Grey	X1207292X8	X1065292X6	X765292VX6	X670292X8	X3715292VX6	X3213292X8		X3100292X6	X3775292VX6	X360292X8					 V3 different tone
Urban Ivory	X1207293X8	X1065293X6	X765293VX6	X670293X8	X3715293VX6	X3213293X8		X3100293X6	X3775293VX6	X360293X8					 V3 different tone
Urban Sand	X1207294X8	X1065294X6	X765294VX6	X670294X8	X3715294VX6	X3213294X8		X3100294X6	X3775294VX6	X360294X8					 V3 different tone
Urban White	X1207295X8	X1065295X6	X765295VX6	X670295X8	X3715295VX6	X3213295X8		X3100295X6	X3775295VX6	X360295X8					 V3 different tone
Urban Cream	X1207299X8	X1065299X6	X765299VX6	X670299X8	X3715299VX6	X3213299X8		X3100299X6	X3775299VX6	X360299X8					 V3 different tone
Urban Beige	X1207298X8	X1065298X6	X765298VX6	X670298X8	X3715298VX6	X3213298X8		X3100298X6	X3775298VX6	X360298X8					 V3 different tone
Urban Mud	X1207297X8	X1065297X6	X765297VX6	X670297X8	X3715297VX6	X3213297X8		X3100297X6	X3775297VX6	X360297X8					 V3 different tone
Urban Brown	X1207296X8	X1065296X6	X765296VX6	X670296X8	X3715296VX6	X3213296X8		X3100296X6	X3775296VX6	X360296X8					 V3 different tone



Collection: Urban Great | Color: Urban Great Cream



Collection: Urban Great | Colors: Urban Great Ivory, Urban Great Sand



Urban Great | Summary



Collection: Urban Great | Color: Urban Great White



Inspiration | [click here](#)
Visit the collection webpage
in other languages.

Colors

	
Urban Great Anthracite*	Urban Great Sand*
	
Urban Great Dove*	Urban Great Ivory*
	
Urban Great Grey*	Urban Great White*
	
Urban Great Cream	Urban Great Mud

Technical features

Natural Plus | R10 A ±6 mm

- 300×100*
- 270×120
- 150×100*
- 100×100*



40% Raw material from recycling process
products assessed and found to comply
with the LEED and BREEAM regulations.

Urban Great

Product details

Packaging details at page **250**Technical product features at page **242**[illegible]



Collection: Soft Concrete | Color: Soft Beige – Hexagon Decor



Collection: Soft Concrete | Colors: Soft Iron – Hexagon Decor, Soft Brown



Soft Concrete | Summary



Collection: Soft Concrete | Color: Soft White



Inspiration | [click here](#)
Visit the collection webpage
in other languages.

Colors

	
Soft Iron	Soft Beige
	
Soft Silver	Soft White
	
Soft Brown	Hexagon Decor All colors

Technical features

Natural Plus | R10 A+B ± 6 mm
• 100×100

Natural Plus | R10 A+B ± 8 mm
• 120×60 + Hexagon Decor
• 60×60 + Hexagon Decor
• 60×30

Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process
products assessed and found to comply
with the LEED and BREEAM regulations.

Soft Concrete

Product details – Part 1 of 2

Technical product features at page **242**[illegible]

Soft Concrete

Product details – Part 2 of 2

Technical product features at page **242**[illegible]



Stardust

Full Body

Collection: Stardust | Colors: Aquamarine, Moonlight



Collection: Stardust | Colors: Galaxy – Decor, Clay, Ash



Stardust | Summary

Full Body collection



Collection: Stardust | Color: Ground



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Colors



Ocean



Lava




Ash



Moonlight




Aquamarine



Ground



Terra



Clay



Galaxy Decor

Technical features

Natural Plus | R10 A+B ± 6 mm

- 100×100

Natural Plus | R10 A+B ± 8 mm

- 120×60 + Decor
- 60×60 + Decor
- 60×30

Specials

- Mosaic
- Bullnose
- Step

Full Body To the core of natural stone.

Thanks to a special porcelain stoneware manufacturing process, Full Body presents a chromatic homogeneity from the surface to the core. The result is a product with tangible depth and a more natural appearance, enhancing its material realism.



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.

Stardust

Full Body | Product details

Technical product features at page 242

[illegible]



Full Body

Collection: Estro | Colors: Estro Cream, Estro Beige



Collection: Estro | Colors: Estro Brown, Estro Anthracite



Estro | Summary

Full Body collection



Collection: Estro | Color: Estro Grey



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Colors



Estro Anthracite



Estro Grey



Estro Beige



Estro Cream



Estro Brown

Technical features

Natural Plus | R10 A+B ± 6 mm

- 150×75
- 100×100
- 75×75

Natural Plus | R10 A+B ± 8 mm

- 120×60
- 60×60
- 60×30

Antislip | R11 A+B+C ± 20 mm

- 120×60
- 100×100
- 60×60

Specials

- Mosaic
- Bullnose
- Step

Full Body To the core of natural stone.

Thanks to a special porcelain stoneware manufacturing process, Full Body presents a chromatic homogeneity from the surface to the core. The result is a product with tangible depth and a more natural appearance, enhancing its material realism.



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.

Estro

Full Body | Product details – **Part 1 of 2**Technical product features at page **248**[illegible]

Estro

Full Body | Product details – **Part 2 of 2**Technical product features at page **248**[illegible]



Collection: Solid Stone | Color: Solid Stone Brown



Collection: Solid Stone | Colors: Solid Stone Anthracite, Solid Stone Beige



Solid Stone | Summary



Collection: Solid Stone | Color: Solid Stone Anthracite



Inspiration | [click here](#)

Visit the collection webpage
in other languages.

Colors



Solid Stone
Beige



Solid Stone
Grey



Solid Stone
Brown



Solid Stone
Anthracite

Technical features

Natural Plus | R10 A+B ± 6 mm

- 100×100

Natural Plus | R10 A+B ± 8 mm

- 120×60
- 60×60
- 60×30

Antislip | R11 A+B+C ± 20 mm

- 120×60
- 100×100
- 60×60

Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process
products assessed and found to comply
with the LEED and BREEAM regulations.

Solid Stone

Product details – Part 1 of 2

Technical product features at page **246**

[illegible]

Solid Stone

Product details – Part 2 of 2

Technical product features at page **246**

[illegible]



Dune

Updated – New formats available

Collection: Dune | Color: Amber



Collection: Dune | Colors: Nebula, Seashell – Wave Decor



Dune | Summary

Updated – New formats available




Collection: Dune | Color: Lime – Wave Decor



Inspiration | [click here](#)

Visit the collection webpage
in other languages.

Colors

	
Lime	Taupe*
	
Pearl*	Amber*
	
Nebula	Shadow*
	
Seashell	Wave Decor All colors

Technical features

Natural Plus | R10 A+B ± 6 mm

- 150×75
- 100×100
- 75×75

Natural Plus | R10 A+B ± 8 mm

- 120×120
- 120×60
- 60×60
- 60×30

Structured ± 8 mm

- 120×60 Wave Decor
- 60×30 Wave Decor

Antislip | R11 A+B+C ± 8 mm

- 60×60

Antislip | R11 A+B+C ± 20 mm*

- 120×120
- 120×60
- 100×100
- 60×60

Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process
products assessed and found to comply
with the LEED and BREEAM regulations.

Dune

[Updated – New formats available] Product details – **Part 1 of 2**

Technical product features at page **248**[illegible]

Dune

[Updated – New formats available] Product details – **Part 2 of 2**

Technical product features at page **248**[illegible]


Native Stone



Collection: Native Stone | Color: Dusky Greige



Collection: Native Stone | Colors: Mineral Black, Cloudy White



Native Stone | Summary



Collection: Native Stone | Color: Alver Beige – Fishbone



Inspiration | [click here](#)
Visit the collection webpage
in other languages.

Colors

	
Mineral Black	Dusky Greige*
	
Authentic Brown	Alver Beige*
	
Mystic Grey*	Cloudy White
	
Decor All colors	

Technical features

Natural Plus | R10 A+B ± 6 mm

- 150×75
- 100×100
- 75×75

Natural Plus | R10 A+B ± 8 mm

- 120×60 + Decor
- 60×60 + Decor
- 60×30
- 60×10 Fishbone

Antislip | R11 A+B+C ± 8 mm

- 60×60

Antislip | R11 A+B+C ± 20 mm*

- 120×60
- 100×100
- 60×60

Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process
products assessed and found to comply
with the LEED and BREEAM regulations.

Native Stone

Product details – Part 1 of 2

Technical product features at page **248**[illegible]


Native Stone

Product details – Part 2 of 2

Technical product features at page **248**[illegible]

Royal Stone

Updated – New formats available



Collection: Royal Stone | Color: Noble Beige



Collection: Royal Stone | Colors: Imperial Brown, Black Diamond



Royal Stone | Summary

Updated – New formats available



Collection: Royal Stone | Color: Platinum White – Fishbone



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Colors




Black
Diamond



Imperial
Brown



Palladium
Grey



Noble
Beige



Platinum
White

Technical features

Natural Plus | R10 A+B ± 6 mm

- 150×75
- 100×100
- 75×75

Natural Plus | R10 A+B ± 8 mm

- 120×120
- 120×60
- 60×60
- 60×30
- 60×10 Fishbone

Antislip | R11 A+B+C ± 6/8 mm

- 120×60
- 100×100 (±6 mm)
- 60×60
- 60×30

Antislip | R11 A+B+C ± 20 mm

- 120×120
- 120×60
- 100×100
- 60×60

Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.

Royal Stone

[Updated – New formats available] Product details – **Part 1 of 3**

Technical product features at page **242**[illegible]

Royal Stone

[Updated – New formats available] Product details – **Part 2 of 3**

Technical product features at page **242**

						* 								Slabs Variability Index
Format (cm)	60 × 60			60 × 30		60 × 10		30 × 30	30 × 30	120 × 7	100 × 6,5	75 × 6,5	60 × 7	
Thickness (mm)	±20 mm	±8 mm	±8 mm	±8 mm	±8 mm	±8 mm		±8 mm	±8 mm	±8 mm	±6 mm	±6 mm	±8 mm	The shade variation index is a rating to determine tile variation between individual pieces of the same color group.
Finishing	Antislip	Natural Plus	Antislip	Natural Plus	Antislip	Natural Plus		Natural Plus	Natural Plus	Natural Plus	Natural Plus	Natural Plus	Natural Plus	
Skid Resistance	R11 A+B+C	R10 A+B	R11 A+B+C	R10 A+B	R11 A+B+C	R10 A+B		R10 A+B	R10 A+B	-	-	-	-	
Description	-	-	-	-	-	Fishbone		Mosaic 3,1 × 3,1	Mosaic 4,7 × 4,7	Bullnose	Bullnose	Bullnose	Bullnose	
Black Diamond	X600380X2	X600380X8	X600380R11X8	X630380X8	X630380R11X8	X160380X8		X373380X8	X370380X8	X1270380X8	X1065380X6	X765380VX6	X670380X8	V3 different tone
Imperial Brown	X600381X2	X600381X8	X600381R11X8	X630381X8	X630381R11X8	X160381X8		X373381X8	X370381X8	X1270381X8	X1065381X6	X765381VX6	X670381X8	V3 different tone
Palladium Grey	X600382X2	X600382X8	X600382R11X8	X630382X8	X630382R11X8	X160382X8		X373382X8	X370382X8	X1270382X8	X1065382X6	X765382VX6	X670382X8	V3 different tone
Noble Beige	X600383X2	X600383X8	X600383R11X8	X630383X8	X630383R11X8	X160383X8		X373383X8	X370383X8	X1270383X8	X1065383X6	X765383VX6	X670383X8	V3 different tone
Platinum White	X600384X2	X600384X8	X600384R11X8	X630384X8	X630384R11X8	X160384X8		X373384X8	X370384X8	X1270384X8	X1065384X6	X765384VX6	X670384X8	V3 different tone
														Note
pieces - box	2	4	4	8	8	15		11	11	12	12	15	10	*Production upon request
boxes - pallet	30	32	32	40	40	60		-	-	-	-	-	-	
sqm - box	0,72	1,44	1,44	1,44	1,44	0,9		0,99	0,99	1,008	0,78	0,731	0,42	
sqm - pallet	21,6	46,08	46,08	57,6	57,6	54		-	-	-	-	-	-	
kg - sqm	45,2407	17,41	17,41	17,33	17,33	17,33		1,57	1,57	1,46	0,92	0,69	0,78	
kg - box	32,573	25,07	25,07	24,955	24,955	15,597		17,27	17,27	17,52	11,04	10,35	7,8	

Royal Stone

[Updated – New formats available] Product details – **Part 3 of 3**

Technical product features at page **242**[illegible]

Great Royal Stone

Large slabs



Collection: Great Royal Stone | Colors: Great Platinum White, Great Palladium Grey



Collection: Great Royal Stone | Colors: Great Black Diamond, Great Palladium Grey



Great Royal Stone | Summary



Collection: Great Royal Stone | Color: Great Palladium Grey



Inspiration | [click here](#)
Visit the collection webpage
in other languages.

Colors



Great Black
Diamond



Great Palladium
Grey



Great Platinum
White

Technical features

Natural Plus | R10 A ±6 mm

- 300×150
- 270×120
- 150×150
- 150×75
- 120×120
- 75×75
- 75×37,5

Specials

- Bullnose



40% Raw material from recycling process
products assessed and found to comply
with the LEED and BREEAM regulations.

Great Royal Stone

Product details

Packaging details at page **250**
 Technical product features at page **244**

[illegible]



Collection: Loft | Color: Loft Sand



Collection: Loft | Colors: Loft Smoke, Loft Dark



Loft | Summary

Full Body collection



Collection: Loft | Color: Loft Snow



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Colors



Loft Dark



Loft Smoke



Loft Sand



Loft Snow

Technical features

Natural Plus | R10 A+B ± 6 mm

- 100 × 100

Natural Plus | R10 A+B ± 8 mm

- 120 × 60
- 60 × 60
- 60 × 30

Antislip | R11 A+B+C ± 20 mm

- 120 × 60
- 100 × 100
- 60 × 60

Specials

- Mosaic
- Bullnose
- Step

Full Body To the core of natural stone.

Thanks to a special porcelain stoneware manufacturing process, Full Body presents a chromatic homogeneity from the surface to the core. The result is a product with tangible depth and a more natural appearance, enhancing its material realism.



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.

Loft

Full Body | Product details **Part 1 of 2**

Technical product features at page **244**[illegible]

Loft

Full Body | Product details – **Part 2 of 2**

Technical product features at page **244**

[illegible]



Collection: Silk Stone | Color: White Satin



Collection: Silk Stone | Colors: Velvet Brown, Black Chiffon



Silk Stone | Summary



Collection: Silk Stone | Color: Light Ornament – Decor



Inspiration | [click here](#)
Visit the collection webpage
in other languages.

Colors

	
Black Chiffon	Velvet Brown
	
Shantung Greige	Vanilla Lace
	
White Satin	Light Ornament Decor
	
Dark Ornament Decor	

Technical features

Natural Plus | R10 A+B ± 6 mm

- 120×60 + Decor
- 120×30 + Decor
- 100×100
- 60×60 + Decor
- 60×30

Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process
products assessed and found to comply
with the LEED and BREEAM regulations.

Silk Stone

Product details

Technical product features at page **244**[illegible]



Collection: Great Elite | Color: Elite Calacatta



Collection: Great Elite | Colors: Elite Marquina, Elite Alpi



Great Elite | Summary



Collection: Great Elite | Color: Elite Calacatta



Inspiration | [click here](#)
Visit the collection webpage
in other languages.

Colors



Elite
Alpi



Elite
Calacatta



Elite
Marquina

Technical features

Polished ± 6 mm

- 270 × 120
- 120 × 120



40% Raw material from recycling process
products assessed and found to comply
with the LEED and BREEAM regulations.

Great Elite

Product details

Packaging details at page **250**
Technical product features at page **246**

[illegible]

Great One

Large slabs



Collection: Great One | Color: One White



Collection: Great One | Color: One White



Great One | Summary



Collection: Great One | Color: One White



Inspiration | [click here](#)
Visit the collection webpage
in other languages.

Color



One White

Technical features

Natural | R9 ± 6 mm

- 300×150
- 300×100
- 150×150
- 150×100
- 100×100

Polished ± 6 mm

- 300×150
- 300×100
- 150×150
- 150×100
- 100×100



40% Raw material from recycling process
products assessed and found to comply
with the LEED and BREEAM regulations.

Great One

Product details

Packaging details at page **250**
Technical product features at page **246**

[illegible]

Color Studio



Collection: Color Studio | Colors: Cream, Biscuit, Malt, Brown



Collection: Color Studio | Specials pieces configuration



Color Studio | Summary



Collection: Color Studio | Color: Powder – Mosaic



Inspiration | [click here](#)
Visit the collection webpage
in other languages.

Colors

 Night	 Sage
 Powder	 White*
 Brown	 Biscuit
 Malt	 Cream

Technical features

Natural | R9 A ± 6 mm

- 120×60
- 120×30*
- 100×100
- 60×60
- 60×30

Specials

- Bullnose
- Step




20×20
Square




20×20×28
Triangle



46×23
Trapezoid




23×23
Rhombus




28×20
Parallelogram



30×30
Listel Mosaic



30×30
Brick Mosaic



30×30
Mosaic




40% Raw material from recycling process
products assessed and found to comply
with the LEED and BREEAM regulations.

Color Studio

Product details – Part 1 of 2

Technical product features at page **244**

														Slabs Variability Index
Format (cm)	120 × 60	120 × 30	100 × 100	60 × 60	60 × 30	20 × 20		28 × 20		23 × 23	46 × 23	20 × 20	100 × 6,5	
Thickness (mm)	± 6 mm	± 6 mm	± 6 mm	± 6 mm	± 6 mm	± 6 mm		± 6 mm	± 6 mm	± 6 mm	± 6 mm	± 6 mm	± 6 mm	The shade variation index is a rating to determine tile variation between individual pieces of the same color group.
Finishing	Natural	Natural	Natural	Natural	Natural	Natural		Natural	Natural	Natural	Natural	Natural	Natural	
Skid Resistance	R9 A	R9 A	R9 A	R9 A	R9 A	R9 A		R9 A	R9 A	R9 A	R9 A	R9 A	-	
Description	–	–	–	–	–	Square		Parallelogram Left	Parallelogram Right	Rhombus	Trapezoid	Triangle	Bullnose	
White	X126360X6	X123360X6	X1010360X6	X600360X6	X630360X6	XSQU360X6		XPARL360X6	XPARR360X6	XRHO360X6	XTRA360X6	XTRI360X6	X1065360X6	 V1 uniform tone
Sage	X126361X6		*X1010361X6	X600361X6	X630361X6	XSQU361X6		XPARL361X6	XPARR361X6	XRHO361X6	XTRA361X6	XTRI361X6	*X1065361X6	 V1 uniform tone
Powder	X126362X6		*X1010362X6	X600362X6	X630362X6	XSQU362X6		XPARL362X6	XPARR362X6	XRHO362X6	XTRA362X6	XTRI362X6	*X1065362X6	 V1 uniform tone
Night	X126363X6		X1010363X6	X600363X6	X630363X6	XSQU363X6		XPARL363X6	XPARR363X6	XRHO363X6	XTRA363X6	XTRI363X6	X1065363X6	 V1 uniform tone
Cream	X126364X6		X1010364X6	X600364X6	X630364X6	XSQU364X6		XPARL364X6	XPARR364X6	XRHO364X6	XTRA364X6	XTRI364X6	X1065364X6	 V1 uniform tone
Biscuit	X126365X6		X1010365X6	X600365X6	X630365X6	XSQU365X6		XPARL365X6	XPARR365X6	XRHO365X6	XTRA365X6	XTRI365X6	X1065365X6	 V1 uniform tone
Malt	X126366X6		*X1010366X6	X600366X6	X630366X6	XSQU366X6		XPARL366X6	XPARR366X6	XRHO366X6	XTRA366X6	XTRI366X6	*X1065366X6	 V1 uniform tone
Brown	X126367X6		*X1010367X6	X600367X6	X630367X6	XSQU367X6		XPARL367X6	XPARR367X6	XRHO367X6	XTRA367X6	XTRI367X6	*X1065367X6	 V1 uniform tone
														Note
pieces - box	3	5	2	5	10	12		12	12	12	8	24	12	*Production upon request
boxes - pallet	32	40	26	32	40	132		-	-	-	-	-	-	
sqm - box	2,16	1,8	2	1,8	1,8	0,48		0,468	0,468	0,54	0,544	0,48	0,78	
sqm - pallet	69,12	72	52	57,6	72	63,36		-	-	-	-	-	-	
kg - sqm	14,35	14,35	14,06	13,89	13,89	13,89		13,89	13,89	13,89	13,89	13,89	0,92	
kg - box	30,996	25,83	28,12	25,002	25,002	6,667		6,501	6,501	7,501	7,556	6,667	11,04	

Color Studio

Product details – Part 2 of 2

Technical product features at page **244**[illegible]



Collection: Radical | Color: Shabby Brown




Collection: Radical | Colors: Shabby White, Shabby Brown



Radical | Summary



Collection: Radical | Colors: Shabby Grey, Shabby Black



Inspiration | [click here](#)
Visit the collection webpage
in other languages.

Colors



Shabby
Black



Shabby
Brown



Shabby
Grey



Shabby
White

Technical features

Natural | R9 ≥ 6 mm

- 120×60
- 100×100
- 60×60
- 60×30

Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process
products assessed and found to comply
with the LEED and BREEAM regulations.

Radical

Product details

Technical product features at page **246**

[illegible]



Collection: Pure Wood | Color: Pure Hazel



Collection: Pure Wood | Colors: Pure Brown, Pure Black



Pure Wood | Summary



Collection: Pure Wood | Color: Pure White



Inspiration | [click here](#)
Visit the collection webpage
in other languages.

Colors



Pure
Black



Pure
Brown



Pure
Hazel



Pure
Amber



Pure
Grey



Pure
White

Technical features

Natural Plus | R10 A+B ± 6 mm

- 120×20

Specials

- Bullnose



40% Raw material from recycling process
products assessed and found to comply
with the LEED and BREEAM regulations.

Pure Wood

Product details

Technical product features at page **248**[illegible]

Pure Wood

Product details

Technical product features at page **248**[illegible]



Collection: In Wood | Color: Maple



Collection: In Wood | Color: Canaletto – Modul Shade



In Wood | Summary



Collection: In Wood | Color: Maple



Inspiration | [click here](#)
Visit the collection webpage
in other languages.

Colors



Acacia



Canaletto*



Maple*



Mulberry

Technical features

Natural Plus | R10 A ±8 mm

- 120×30
- 120×20
- 120×15

Antislip | R11 A+B ±20 mm*

- 120×60
- 120×30

Specials

- Modul Shade
- Modul Oblique
- Bullnose



40% Raw material from recycling process
products assessed and found to comply
with the LEED and BREEAM regulations.

In Wood

Product details

Technical product features at page **248**

[illegible]



Outdoor solutions.

Designed for outdoor spaces.

Our wide range of 20 mm formats are engineered to guarantee durability, anti-slip performance, and design continuity with indoor collections, allowing for seamless indoor-outdoor transitions.

Applications.

Steps	220
Pool surroundings	222
Flowerbeds	224
Planters	226
Wall covers	228

Solutions.

Special formats	230
-----------------	-----

Insights.

Outdoor installations	262
-----------------------	-----

Collections.

Search by: 20 mm	280
-------------------	-----


Steps.




Collection: Urban | Color: Urban Cream

Types

Module



Module L



Technical features

Formats:

A 120, 100, 60 cm
B 30 cm

Customization:

- In all outdoor collections.
- With or without grooves on the surface.
- Edge finishes:



Rounded



90° Rounded



Squared

Formats:


A 120, 100, 60 cm
B 30 cm
H 15 - 17 cm

Customization:

- In all outdoor collections.
- With or without grooves on the surface.

**Additional types and formats
on request.**


Pool surroundings.




Collection: Urban | Color: Urban Cream

Types


Corner (2 pieces)




Corner (1 piece: left or right)



Module



Module L



Technical features

Formats:

A 120, 100, 60 cm
B 30 cm
C 45°

Formats:

A 120 cm
B 60 cm
C 30 cm

Formats:

D 120, 100, 60 cm
E 30 cm

Customization:

- In all outdoor collections.
- With or without drain channel below the surface.
- Edge finishes:



Rounded



90° Rounded



Squared

Formats:


A 120, 100, 60 cm
B 30 cm
H 6 cm

Customization:

- In all outdoor collections.

Additional types and formats on request.


Flowerbeds.




Collection: Urban | Color: Urban Cream

Types

Corner (1 piece)



Corner (1 piece) + Module



Technical features

Formats:

A 120, 100, 60 cm
B 15 cm

Formats:

A 120, 100, 60 cm
B 15 cm
C 120, 100, 60 cm

Customization:

- In all outdoor collections.
- Edge finishes:



Rounded



90° Rounded



Squared

Additional types and formats on request.


Planters.




Collection: Urban | Color: Urban Cream

Types


Planter 30




Planter 35




Planter 60




Planter 120




Bottom options:



With bottom



Without bottom



With bottom plus holes

Technical features

Formats:

A 30 cm
B 30 cm
H 120 cm

Formats:

A 55 cm
B 35,6 cm
H 114,5 cm

Formats:

A 60 cm
B 60 cm
H 60 cm

Formats:

A 60 cm
B 120 cm
H 60 cm

Customization:

- In all outdoor collections.
- With bottom, without bottom or with bottom plus holes.

Note:

In case of strong root growth, it is important to take additional precautions to prevent damage to plants and surrounding planters.

Additional types and formats on request.


Wall covers.




Collection: Urban | Color: Urban Cream

Types

Module



Module U



Technical features

Formats:

A 120, 100, 60 cm
B 20 - 60 cm

Customization:

- In all outdoor collections.
- With or without drain channels below the surface.
- Edge finishes:



Rounded



90° Rounded



Squared

Formats:

A 120, 100, 60 cm
B 20 - 50 cm
H 5 cm

Customization:

- In all outdoor collections.





Notes:




- Long sides (A) are polished
- The wall cover must be wider than the wall to be covered.

Additional types and formats on request.

Outdoor solutions

Special formats

Format (cm)		Type	Edge finish	
Module				
	30 x 120 $\frac{1}{2}$ 2 cm	Module	Rounded 	
	30 x 120 $\frac{1}{2}$ 2 cm	Module	90° Rounded 	
	30 x 120 $\frac{1}{2}$ 2 cm	Module	Squared 	
	30 x 100 $\frac{1}{2}$ 2 cm	Module	Rounded 	
	30 x 100 $\frac{1}{2}$ 2 cm	Module	90° Rounded 	
	30 x 100 $\frac{1}{2}$ 2 cm	Module	Squared 	
	30 x 60 $\frac{1}{2}$ 2 cm	Module	Rounded 	
	30 x 60 $\frac{1}{2}$ 2 cm	Module	90° Rounded 	
	30 x 60 $\frac{1}{2}$ 2 cm	Module	Squared 	
	30 x 60 $\frac{1}{2}$ 2 cm	Module	Squared 	
Corner				
	120 x 120 $\frac{1}{2}$ 2 cm	Corner (1 piece)	Rounded 	
	120 x 120 $\frac{1}{2}$ 2 cm	Corner (1 piece)	90° Rounded 	
	120 x 120 $\frac{1}{2}$ 2 cm	Corner (1 piece)	Squared 	
	100 x 100 $\frac{1}{2}$ 2 cm	Corner (1 piece)	Rounded 	
	100 x 100 $\frac{1}{2}$ 2 cm	Corner (1 piece)	90° Rounded 	
	100 x 100 $\frac{1}{2}$ 2 cm	Corner (1 piece)	Squared 	
	60 x 60 $\frac{1}{2}$ 2 cm	Corner (1 piece)	Rounded 	
	60 x 60 $\frac{1}{2}$ 2 cm	Corner (1 piece)	90° Rounded 	
	60 x 60 $\frac{1}{2}$ 2 cm	Corner (1 piece)	Squared 	
	60 x 120 $\frac{1}{2}$ 2 cm	Corner (1 piece: left or right)	Rounded 	
	60 x 120 $\frac{1}{2}$ 2 cm	Corner (1 piece: left or right)	90° Rounded 	
	60 x 120 $\frac{1}{2}$ 2 cm	Corner (1 piece: left or right)	Squared 	
	30 x 120 $\frac{1}{2}$ 2 cm	Corner (2 pieces)	Rounded 	
	30 x 120 $\frac{1}{2}$ 2 cm	Corner (2 pieces)	90° Rounded 	
	30 x 120 $\frac{1}{2}$ 2 cm	Corner (2 pieces)	Squared 	
	30 x 100 $\frac{1}{2}$ 2 cm	Corner (2 pieces)	Rounded 	
	30 x 100 $\frac{1}{2}$ 2 cm	Corner (2 pieces)	90° Rounded 	
	30 x 100 $\frac{1}{2}$ 2 cm	Corner (2 pieces)	Squared 	
	30 x 60 $\frac{1}{2}$ 2 cm	Corner (2 pieces)	Rounded 	
	30 x 60 $\frac{1}{2}$ 2 cm	Corner (2 pieces)	90° Rounded 	
	30 x 60 $\frac{1}{2}$ 2 cm	Corner (2 pieces)	Squared 	

Format (cm)		Type	Edge finish	
Module L				
	30 x 120 $\frac{1}{2}$ 2 cm	Module L (6 cm)	-	
	30 x 100 $\frac{1}{2}$ 2 cm	Module L (6 cm)	-	
	30 x 60 $\frac{1}{2}$ 2 cm	Module L (6 cm)	-	
	30 x 120 $\frac{1}{2}$ 2 cm	Module L (15 - 17 cm)	-	
	30 x 100 $\frac{1}{2}$ 2 cm	Module L (15 - 17 cm)	-	
	30 x 60 $\frac{1}{2}$ 2 cm	Module L (15 - 17 cm)	-	
Corner L				
	30 x 120 $\frac{1}{2}$ 2 cm	Corner L (6 cm 2 pieces)	-	
	30 x 100 $\frac{1}{2}$ 2 cm	Corner L (6 cm 2 pieces)	-	
	30 x 60 $\frac{1}{2}$ 2 cm	Corner L (6 cm 2 pieces)	-	
	30 x 120 $\frac{1}{2}$ 2 cm	Corner L (15 - 17 cm 2 pieces)	-	
	30 x 100 $\frac{1}{2}$ 2 cm	Corner L (15 - 17 cm 2 pieces)	-	
	30 x 60 $\frac{1}{2}$ 2 cm	Corner L (15 - 17 cm 2 pieces)	-	

Notes:
• Additional types and formats on request.

Collections Overview

Find your product according to your needs and destination of use.

Effects	Collections	Colors	Finishings	± 6 mm	± 8 mm	± 20 mm	Large slabs	Full Body	Page
Concrete	Cosmo		Antislip Natural Plus	●	●	●			42
	Urban [Updated]		Antislip Natural Plus, Structured	●	●	●			52
	Urban Great		Natural Plus	●			●		64
	Soft Concrete		Antislip Natural Plus	●	●				72
	Stardust		Natural Plus	●	●			●	82
Stone	Eternal Stone [New]		Antislip Natural Plus	●	●	●			30
	Estro		Antislip Natural Plus	●	●	●		●	90
	Solid Stone		Antislip Natural Plus	●	●	●			100
	Dune [Updated]		Antislip Natural Plus, Structured	●	●	●			110
	Native Stone		Antislip Natural Plus	●	●	●			120
	Royal Stone [Updated]		Antislip Natural Plus	●	●	●			130
	Great Royal Stone		Natural Plus	●			●		142
	Loft		Antislip Natural Plus	●	●	●		●	150
	Silk Stone		Natural Plus	●					160
Marble	Great Elite		Polished	●			●		168
	Great One		Natural Polished	●			●		176
Color	Color Studio		Natural	●					184
Metal	Radical		Natural	●					194
Wood	Pure Wood		Natural Plus	●					202
	In Wood		Antislip Natural Plus		●	●			210

4

Insights.

**Our Expertise, Proven Excellence.
Where Innovation Succeeds.**

Full Body	236
Edge finishes	238
Certifications	240
Technical product features	242
Packaging details Large slabs	250
Outdoor installation	262



Full Body

To the core of natural stone.

Full Body slabs are produced under high pressure of temperatures up to 1,300 °C.

These ceramic surfaces are particularly suitable for areas with visible edges and corners. Whether for steps, skirting boards, furniture, kitchen worktops, edging or pool edges – the design flows seamlessly along the edges.

This creates the impression of a continuous slab with consistent material thickness and an iridescent surface.

Concrete

Stardust	82
----------	----

Stone

Estro	90
Loft	150

Edge finishes

Design without compromise.

The range from Porcelaingres not only offer a wide range of formats, colors, effects and finishes, but also the option of customizing edges and setting design accents.

Whether a functional garden path, an inviting patio or a safe pool area – different edge finishes allow details to be fine-tuned to meet design and functional requirements.

This creates precise transitions, accentuated finishes and safe walkable areas that nicely round off the overall appearance and emphasize the character of the design at the highest level.



90° Rounded



Rounded



Squared



Certifications

Sensitivity towards ethycal, environmental, safety and quality concerns

Product Certifications:



LEED certification: is a global system used in 40+ countries to check if buildings are environmentally friendly. The LEED (Leadership in Energy and Environmental Design) It evaluates how well a building is sustainable in terms of the environment, society, and economy. The slabs in this tool have over 40% recycled material, following the ISO 14021 standard, ensuring the highest LEED points.

BREEAM certification is a widely used global standard that measures how buildings impact the environment. It has strictw rules and checks based on the latest technology and knowledge. The rating system demands certifications based on strict technical parameters and quality control.

You can find the updated list of certified collections at www.porcelaingres.com/downloads/.



UPEC classification associated with the QB certification mark attests to the compliance of floor and wall coverings with the technical requirements set out in certification reference documents. It assigns classifications of use indicating that the durability of a product is appropriate for use on specific types of premises.

The list of the certified products is available at <http://evaluation.cstb.fr/>



CE MARK - It indicates that Porcelaingres products comply with the requirements of 305/2011 UE directive – in particular with regard to health production and the users and consumers’ safety – and may thus be freely circulated on the Community market. **For the declarations of conformity of each single product, please refer to:** www.porcelaingres.com/downloads/.



放射性水平A类
See official listing

The **China Compulsory Certificate** mark, commonly known as a **CCC Mark**, is a compulsory safety mark for our Great Format products imported, sold or used in the Chinese market.

The certification is available at www.porcelaingres.com/downloads/.



EPD (Environmental Product Declaration): a voluntary type III product declaration, based on analysis of the product life cycle (with a “from cradle to grave” approach) in accordance with the EN 15804 standard. This declaration is drawn up with reference to the guidelines of the UNI EN ISO 14040 standard and the specific PCR (Product Category Rules). This document describes the environmental impact linked to the entire life cycle of a specific quantity of product. Our Company was the first to certify its products (see www.environdec.com) with specific EPD, validated by an independent third-party Body.

The certification is available at www.porcelaingres.com/downloads/.



GREENGUARD certification ensures indoor products have minimal emissions of volatile substances for healthier environments. GREENGUARD Gold Certification considers safety for sensitive individuals and approves products for use in places like schools and healthcare facilities. Widely recognized globally in sustainable building programs, it is referenced by The Collaborative for High Performance Schools (CHPS) and Leadership in Energy and Environmental Design (LEED) in the United States.

Certified collections can be found at <https://spot.ul.com/>.

Integrated Management System Certifications:



ISO 9001 certification: for corporate Quality system management. The certification, valid at an international level, concerns corporate management in its entirety, from research and development to production, and from distribution to customer support. This system certifies that the Company has implemented an internal quality management system.

The certification is available at www.porcelaingres.com/downloads/.



ISO 50001 certification: for organizations committed to addressing their impact, conserving resources and improving the bottom line through efficient energy management. The standard specifies the requirements for establishing, implementing, maintaining and improving an energy management system, whose purpose is to enable an organization to follow a systematic approach in achieving continual improvement of energy performance, including energy efficiency, energy security, energy use and consumption.

The certification is available at www.porcelaingres.com/downloads/.

Environmental Information and Labels:



Declare label: a badge for construction materials, essentially functioning as a voluntary self-disclosure program. This initiative furnishes details about the material's composition, final assembly locations, lifespan, end-of-life options, and overall adherence to pertinent Living Building Challenge® (LBC) requirements.

Accessible through a complimentary database, Declare® labels prove to be an essential tool for designers and architects, empowering them to specify products aligning with the criteria of key green building standards, including Core Green Building certifications, LBC, LEED, and WELL.

All our materials hold the classification of being “Red List Free,” affirming their absence of chemicals listed in the Living Building Challenge’s “Red List.”

More info available at <https://declare.living-future.org/products/ceramic-slabs>.



ISO 14067 certification: is an international standard that outlines the principles and guidelines for measuring and communicating the carbon footprint of products. This certification focuses on assessing and managing the carbon emissions associated with all stages of a product's life cycle, from raw material extraction through production, distribution, use, and disposal.

The certification is available at www.porcelaingres.com/downloads/.



The **Cradle to Cradle** certification recognizes sustainable products, focusing on material health, recyclability, renewable energy, water use, and social fairness. It promotes a circular economy by encouraging reusable or upcycled products, reducing waste and environmental impact. **Available exclusively for our Great Collections (Large format).**

The certification is available at <https://c2ccertified.org/certified-products/porcelain-stoneware-slabs>.



Technical product features

Declared values of production

Features	Norms	▲ Required standard	Urban pag. 52	Soft Concrete pag. 72	Stardust pag. 82	Urban Great pag. 64	Royal Stone pag. 130
 water absorption	ISO 10545-3	≤ 0,5%	< 0,05%	< 0,05%	≤ 0,05%	< 0,05%	< 0,05%
 sizes	ISO 10545-2	length and width thickness linearity wedging warpage ± 0,6% max ± 5,0% max ± 0,5% max ± 0,6% max ± 0,5% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max
 bending strength	ISO 10545-4	≥ 35 N/mm²	> 48N/mm² For 20mm slabs: > 42N/mm²	> 48N/mm² For 20mm slabs: > 42N/mm²	≥ 48N/mm²	> 48N/mm²	> 48N/mm² For 20mm slabs: > 42N/mm²
 resistance to deep abrasion	ISO 10545-6	≤ 175 N/mm³	≤ 140 mm³	≤ 140 mm³	≤ 140 mm³	≤ 140 mm³	≤ 140 mm³
 thermal expansion coefficient	ISO 10545-8	testing method available	7 MK ⁻¹	7 MK ⁻¹	7 MK ⁻¹	7 MK ⁻¹	7 MK ⁻¹
 thermal shock resistance	ISO 10545-9	testing method available	resistant	resistant	resistant	resistant	resistant
 frost resistance	ISO 10545-12	no sample must show alterations to surface	frost resistance	frost resistance	frost resistance	frost resistance	frost resistance
 chemical resistance	ISO 10545-13	no sample must show visible signs of chemical attack (acids-bases-additives for pools) except for products containing hydrofluoric acid and derivates.	unaffected	unaffected	unaffected	unaffected	unaffected
 stain resistance	ISO 10545-14	unglazed tiles: testing method available	class 5	class 5	class 5	class 5	class 5
 colour resistance to light	DIN 51094	no sample must show noticeable colour change	no change in brightness or colour	no change in brightness or colour	no change in brightness or colour	no change in brightness or colour	no change in brightness or colour

Technical product features

Declared values of production

Features	Norms	▲ Required standard	Loft pag. 150	Color Studio pag. 184	Silk Stone pag. 160	Great Royal Stone pag. 142	Eternal Stone pag. 30
 water absorption	ISO 10545-3	≤ 0,5%	≤ 0,05%	< 0,05%	≤ 0,05%	< 0,05%	< 0,05%
 sizes	ISO 10545-2	length and width thickness linearity wedging warpage ± 0,6% max ± 5,0% max ± 0,5% max ± 0,6% max ± 0,5% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max
 bending strength	ISO 10545-4	≥ 35 N/mm²	≥ 48N/mm² For 20mm slabs: > 42N/mm²	> 48N/mm²	> 48N/mm²	> 48N/mm²	> 48N/mm² For 20mm slabs: > 42N/mm²
 resistance to deep abrasion	ISO 10545-6	≤ 175 N/mm³	≤ 140 mm³	140 mm³	≤ 140 mm³	140 mm³	≤ 140 mm³
 thermal expansion coefficient	ISO 10545-8	testing method available	7 MK ⁻¹	7 MK ⁻¹	7 MK ⁻¹	7 MK ⁻¹	7 MK ⁻¹
 thermal shock resistance	ISO 10545-9	testing method available	resistant	resistant	resistant	resistant	resistant
 frost resistance	ISO 10545-12	no sample must show alterations to surface	frost resistance	frost resistance	frost resistance	frost resistance	frost resistance
 chemical resistance	ISO 10545-13	no sample must show visible signs of chemical attack (acids-bases-additives for pools) except for products containing hydrofluoric acid and derivates.	unaffected	unaffected	unaffected	unaffected	unaffected
 stain resistance	ISO 10545-14	unglazed tiles: testing method available	class 5	class 5	class 5	class 5	class 5
 colour resistance to light	DIN 51094	no sample must show noticeable colour change	no change in brightness or colour	no change in brightness or colour	no change in brightness or colour	no change in brightness or colour	no change in brightness or colour

Technical product features


Declared values of production

Features	Norms	▲ Required standard	Great Elite pag. 168	Great One pag. 176	Cosmo pag. 42	Solid Stone pag. 100	Radical pag. 194
 water absorption	ISO 10545-3	≤ 0,5%	< 0,05%	< 0,05%	< 0,05%	< 0,05%	< 0,05%
 sizes	ISO 10545-2	length and width ± 0,6% max thickness ± 5,0% max linearity ± 0,5% max wedging ± 0,6% max warpage ± 0,5% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max
 bending strength	ISO 10545-4	≥ 35 N/mm²	> 42N/mm²	> 42N/mm²	> 48N/mm² For 20mm slabs: > 42N/mm²	> 48N/mm² For 20mm slabs: > 42N/mm²	> 48N/mm²
 resistance to deep abrasion	ISO 10545-6	≤ 175 N/mm³	140 mm³	140 mm³	≤ 140 mm³	≤ 140 mm³	140 mm³
 thermal expansion coefficient	ISO 10545-8	testing method available	7 MK ⁻¹	7 MK ⁻¹	7 MK ⁻¹	7 MK ⁻¹	7 MK ⁻¹
 thermal shock resistance	ISO 10545-9	testing method available	resistant	resistant	resistant	resistant	resistant
 frost resistance	ISO 10545-12	no sample must show alterations to surface	frost resistance	frost resistance	frost resistance	frost resistance	frost resistance
 chemical resistance	ISO 10545-13	no sample must show visible signs of chemical attack (acids-bases-additives for pools) except for products containing hydrofluoric acid and derivates.	unaffected	unaffected	unaffected	unaffected	unaffected
 stain resistance	ISO 10545-14	unglazed tiles: testing method available	class 5 class 4 (bright slabs)	class 5	class 5	class 5	class 5
 colour resistance to light	DIN 51094	no sample must show noticeable colour change	no change in brightness or colour	no change in brightness or colour	no change in brightness or colour	no change in brightness or colour	no change in brightness or colour

Technical product features

Declared values of production

Features	Norms	▲ Required standard	Dune pag. 110	Pure Wood pag. 202	In Wood pag. 210	Native Stone pag. 120	Estro pag. 90
 water absorption	ISO 10545-3	≤ 0,5%	< 0,05%	< 0,05%	< 0,05%	< 0,05%	< 0,05%
 sizes	ISO 10545-2	length and width thickness linearity wedging warpage ± 0,6% max ± 5,0% max ± 0,5% max ± 0,6% max ± 0,5% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max
 bending strength	ISO 10545-4	≥ 35 N/mm²	> 48N/mm² For 20mm slabs: > 42N/mm²	> 48N/mm²	> 48N/mm²	> 48N/mm² For 20mm slabs: > 42N/mm²	> 48N/mm² For 20mm slabs: > 42N/mm²
 resistance to deep abrasion	ISO 10545-6	≤ 175 N/mm³	≤ 140 mm³	140 mm³	140 mm³	≤ 140 mm³	≤ 140 mm³
 thermal expansion coefficient	ISO 10545-8	testing method available	7 MK ⁻¹	7 MK ⁻¹	7 MK ⁻¹	7 MK ⁻¹	7 MK ⁻¹
 thermal shock resistance	ISO 10545-9	testing method available	resistant	resistant	resistant	resistant	resistant
 frost resistance	ISO 10545-12	no sample must show alterations to surface	frost resistance	frost resistance	frost resistance	frost resistance	frost resistance
 chemical resistance	ISO 10545-13	no sample must show visible signs of chemical attack (acids-bases-additives for pools) except for products containing hydrofluoric acid and derivates.	unaffected	unaffected	unaffected	unaffected	unaffected
 stain resistance	ISO 10545-14	unglazed tiles: testing method available	class 5	class 5	class 5	class 5	class 5
 colour resistance to light	DIN 51094	no sample must show noticeable colour change	no change in brightness or colour	no change in brightness or colour	no change in brightness or colour	no change in brightness or colour	no change in brightness or colour



Packaging details.

Efficient, safe and project-ready packaging solutions.

We provide a range of packaging options specifically designed for large-format slabs.

From single crates to full containers, each solution ensures maximum protection, handling efficiency and space optimization during transport and delivery.

Crate with pudding layers	252
Rack	254
Tall Crate	256
Short Crate	258
Container	260

Packaging details

Great Collections | Large slabs

- Urban Great at page 64
- Great Royal Stone at page 142
- Great Elite at page 168
- Great One at page 176

Crate with pudding layers Package informations	Format Slab in cm	Slabs Max. capacity	Boxes Max. capacity	Sqm Max. capacity	Kg Max. capacity	Price € - Euro	Note Important recommendations
 Size: 322 × 163 × h.34 cm Weight: 117 kg Code: MAX-IMB11L	300 × 150	12	-	54,00	876,80	-	- minimum order: 2 slabs per crate; - no more than 6 items (colors) per crate allowed; Loading on lorry: - stack max. 6 crates on lorry; - max. 24 crates on lorry (4 spaces) within total weight limits; - option of placing 2 euro-pallets next to each stack
 Size: 325 × 113 × h.37 cm Weight: 104 kg Code: MAX-IMB01L	300 × 100	16	-	48,00	779,40	-	- minimum order: 3 slabs per crate; - no more than 6 items (colors) per crate allowed; Loading on lorry: - stack max. 5 crates on lorry; - max. 32 crates on lorry (8 spaces) within total weight limits; - option of placing crates next to each other
 Size: 290 × 132 × h.37 cm Weight: 100 kg Code: MAX-IMB01L	270 × 120	16	-	51,84	740,00	-	- minimum order: 3 slabs per crate; - no more than 6 items (colors) per crate allowed; Loading on lorry: - stack max. 5 crates on lorry; - max. 32 crates on lorry (8 spaces) within total weight limits; - option of placing crates next to each other
 Size: 172 × 163 × h.41 cm Weight: 68 kg Code: MAX-IMB02L	150 × 150	24	-	54,00	827,80	-	- minimum order: 4 slabs per crate; - each crate must contain an even number of slabs per item; - no more than 6 items (colors) per crate allowed; Loading on lorry: - stack max. 5 crates on lorry; - max. 28 crates on lorry (7 spaces) within total weight limits; - option of placing 1 euro-pallet next to each stack

Packaging details

Great Collections | Large slabs

- Urban Great at page 64
- Great Royal Stone at page 142
- Great Elite at page 168
- Great One at page 176

Rack		Format	Slabs	Boxes	Sqm	Kg	Price	Note
Package informations		Slab in cm	Max. capacity	Max. capacity	Max. capacity	Max. capacity	€ - Euro	Important recommendations
	Size: 312 × 74 × h.191 cm Weight: 227 kg Code: MAX-IMB04C	300 × 150	50	-	225,00	3392,80	-	- one rack may contain up 5 different items (colors); - the rack must be filled to the maximum capacity specified; - in order to optimise space, this rack may be filled with 48 slabs (instead of 2 racks with 24 slabs each)
	Size: 312 × 70 × h.191 cm Weight: 194 kg Code: MAX-IMB03C	300 × 150	24	-	108,00	1713,60	-	- one rack may contain up 5 different items (colors); - the rack must be filled to the maximum capacity specified
	Size: 312 × 74 × h.140 cm Weight: 180 kg Code: MAX-IMB04C	300 × 100	50	-	150,00	2290,50	-	- one rack may contain up 5 different items (colors); - the rack must be filled to the maximum capacity specified; - in order to optimise space, this rack may be filled with 48 slabs (instead of 2 racks with 24 slabs each)
	Size: 312 × 70 × h.140 cm Weight: 158 kg Code: MAX-IMB07C	300 × 100	32	-	96,00	1508,50	-	- one rack may contain up 5 different items (colors); - the rack must be filled to the maximum capacity specified
	Size: 312 × 74 × h.191 cm Weight: 227 kg Code: MAX-IMB08C	270 × 120	50	-	162,00	2506,34	-	- one rack may contain up 5 different items (colors); - the rack must be filled to the maximum capacity specified; - in order to optimise space, this rack may be filled with 48 slabs (instead of 2 racks with 24 slabs each)
	Size: 161 × 74 × h.191 cm Weight: 85 kg Code: MAX-IMB05C	150 × 150	48	-	108,00	1604,60	-	- one rack may contain up 5 different items (colors); - the rack must be filled to the maximum capacity specified

Packaging details

Great Collections | Large slabs

- Urban Great at page 64
- Great Royal Stone at page 142
- Great Elite at page 168
- Great One at page 176

Tall Crate Package informations		Format Slab in cm	Slabs Max. capacity	Boxes Max. capacity	Sqm Max. capacity	Kg Max. capacity	Price € - Euro	Note Important recommendations
	Size: 171 × 112 × h.65 cm Weight: 72 kg Code: MAX.IMBCG	150 × 100	40	40	60,00	916,20	-	- minimum order: 2 boxes (= 2 slabs); - each crate must contain an even number of slabs/boxes; - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; Loading on lorry: - stack max. 3 tall crates on lorry; - max. 30 tall crates on lorry (15 spaces) within total weight limits
	Size: 172 × 89 × h.65 cm Weight: 59 kg Code: MAX-IMBCG	150 × 75	52	26	58,50	882,10	-	- minimum order: 1 box (= 2 slabs); - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; Loading on lorry: - stack max. 3 tall crates on lorry; - max. 30 tall crates on lorry (15 spaces) within total weight limits
	Size: 172 × 89 × h.65 cm Weight: 59 kg Code: MAX-IMBCG	75 × 37,5	264	44	74,25	1103,70	-	- minimum order: 1 box (= 6 slabs); - one tall crate may contain up 3 different items (colors); for the same size while the short crate only 2 different items; Loading on lorry: - stack max. 3 tall crates on lorry; - max. 30 tall crates on lorry (15 spaces) within total weight limits
	Size: 141 × 132 × h.65 cm Weight: 70 kg Code: MAX-IMBCG12	120 × 120	52	26	74,88	1060,00	-	- minimum order: 1 box (= 2 slabs); - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; Loading on lorry: - stack max. 3 tall crates on lorry; - max. 44 tall crates on lorry (22 spaces) within total weight limits
	Size: 121 × 112 × h.65 cm Weight: 55 kg Code: MAX-IMBCG	100 × 100	52	26	52,00	786,70	-	- minimum order: 1 box (= 2 slabs); - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; Loading on lorry: - stack max. 3 tall crates on lorry; - max. 44 tall crates on lorry (22 spaces) within total weight limits
	Size: 172 × 89 × h.65 cm Weight: 59 kg Code: MAX-IMBCG	75 × 75	114	38	64,13	961,31	-	- minimum order: 1 box (= 3 slabs); - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; Loading on lorry: - stack max. 3 tall crates on lorry; - max. 30 tall crates on lorry (15 spaces) within total weight limits

Packaging details

Great Collections | Large slabs

- Urban Great at page 64
- Great Royal Stone at page 142
- Great Elite at page 168
- Great One at page 176

Short Crate Package informations		Format Slab in cm	Slabs Max. capacity	Boxes Max. capacity	Sqm Max. capacity	Kg Max. capacity	Price € - Euro	Note Important recommendations
	Size: 171 × 112 × h.40 cm Weight: 54 kg Code: MAX-IMBCP	150 × 100	18	18	27,00	433,90	-	- minimum order: 1 box (= 2 slabs); - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; Loading on lorry: - stack max. 3 tall crates on lorry; - max. 30 tall crates on lorry (15 spaces) within total weight limits
	Size: 172 × 89 × h.41 cm Weight: 47 kg Code: MAX-IMBCP	150 × 75	24	12	27,00	426,90	-	- minimum order: 1 box (= 2 slabs); - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; Loading on lorry: - stack max. 3 tall crates on lorry; - max. 30 tall crates on lorry (15 spaces) within total weight limits
	Size: 172 × 89 × h.41 cm Weight: 47 kg Code: MAX-IMBCP	75 × 37,5	120	20	33,75	521,90	-	- minimum order: 1 box (= 6 slabs); - one tall crate may contain up 3 different items (colors); for the same size while the short crate only 2 different items; Loading on lorry: - stack max. 3 tall crates on lorry; - max. 30 tall crates on lorry (15 spaces) within total weight limits
	Size: 141 × 132 × h.41 cm Weight: 60 kg Code: MAX-IMBCP12	120 × 120	24	12	34,56	486,50	-	- minimum order: 1 box (= 2 slabs); - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; Loading on lorry: - stack max. 3 tall crates on lorry; - max. 44 tall crates on lorry (22 spaces) within total weight limits
	Size: 121 × 112 × h.41 cm Weight: 44 kg Code: MAX-IMBCP	100 × 100	24	12	24,00	381,70	-	- minimum order: 1 box (= 2 slabs); - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; Loading on lorry: - stack max. 3 tall crates on lorry; - max. 44 tall crates on lorry (22 spaces) within total weight limits
	Size: 172 × 89 × h.41 cm Weight: 47 kg Code: MAX-IMBCP	75 × 75	54	18	30,38	474,50	-	- minimum order: 1 box (= 3 slabs); - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; Loading on lorry: - stack max. 3 tall crates on lorry; - max. 30 tall crates on lorry (15 spaces) within total weight limits

Packaging details

Great Collections | Large slabs

- Urban Great at page 64
- Great Royal Stone at page 142
- Great Elite at page 168
- Great One at page 176

Container Package informations	Tailor-made packaging Max. capacity	Note Important recommendations
20 FOOT CONTAINER Size: 5,90 × 2,32 × h. 2,35 meters		
	• 6 crates 300×150; • 10 crates 300×100 + 5 crates 150×150; • 10 crates 300×100 + 10 tall crates 150×100; • 10 crates 300×100 + 6 tall crates 75×37,5\75×75\150×75; • 10 crates 300×100 + 12 tall crates 100×100; • 15 crates 150×150 + 3 tall crates 75×37,5\75×75\150×75; • 12 tall crates 120×120 (within weight limits); • 27 tall crates 100×100 (within weight limits); • 18 tall crates 75×37,5\75×75\150×75; • 18 tall crates 150×100.	
40 FOOT CONTAINER Size: 11,90 × 2,33 × h. 2,35 meters*		
	• 18 crates 300×150; • 30 crates 300×100 + 5 crates 150×150; • 30 crates 300×100 + 6 tall crates 75×37,5\75×75\150×75; • 30 crates 300×100 + 6 tall crates 100×100; • 30 crates 300×100 + 10 tall crates 150×100; • 24 tall crates 120×120 (within weight limits); • 35 tall crates 150×150 (within weight limits).	*concerning the 120×120, 100×100 or 75×37,5\75×75\150×75 formats, calculation must take weight into account (the space is never completely filled as weight would be exceeded)



Unbonded installation
on sand, gravel,
and grass.

Bonded
installation
on screed.

Loose installation
on paving supports,
spacing rings, and
mortar sacks.

Bonded
installation on
drainage mortar.



Collection: Solid Stone | Color: Solid Stone Grey

Weather, usage, stress – outdoor flooring has much to withstand.

That’s why there are a number of solutions and installation methods that can be customized to meet specific requirements.

Individual planning is crucial: your architect, skilled tradesman or specialist wholesaler will provide you with the expert advice you need.

Our experienced technical team is also on hand with specialist knowledge and guidance.

Installations.

Sand, gravel, and grass	266
Paving supports, spacing rings, and mortar sacks	268
Screed	270
Drainage mortar	272



Collection: Native Stone | Color: Dusky Greige



[click here](#)

Technical Installation details.

Unbonded installation on sand, gravel, and grass.

With unbonded installation on sand, gravel or grass, slabs are laid without mortar or adhesive..

The slabs are laid loosely on a course of hardcore, gravel or sand.

A stable, well-compacted base layer of crushed stone ensures optimum sub-base preparation. This is followed by the bedding layer of chippings, gravel or sand on which the ceramic slabs are laid and lightly tapped in to create an even surface. The gaps can be filled with grit or sand to allow natural drainage.

This type of installation offers great flexibility for adjustments or repairs and is particularly suitable for patios, footpaths and other outdoor areas.



Collection: Native Stone | Color: Dusky Greige



[click here](#)

Technical Installation details.


Loose installation on paving supports, spacing rings, and mortar sacks.

Loose installation on paving supports, spacing rings, and mortar sacks creates a stable and level surface – even on uneven surfaces and without adhesive.

Adjustable plastic feet or alternative systems are used for height adjustment. Elevated track systems can also be used for additional stability and flexible installation. The water drains directly into the sub-base via the covering joints.

An easily accessible cavity is created under the porcelain stoneware surface, ideal for laying installations and pipes.

This construction method is increasingly being used on roof terraces, in new buildings and for renovations.



Collection: Native Stone | Color: Dusky Greige



[click here](#)

Technical Installation details.

Bonded installation on screed.

With bonded screed installation the ceramic slabs are firmly attached to the sub-base.

Thorough waterproofing measures are required before bonding. Surface water runs off exclusively via the slope.

This construction method offers high stability with a low installation height and is often used on balconies and when renovating existing terraces.

Complex preparation and skilled workmanship make this type of installation particularly challenging.



Collection: Native Stone | Color: Dusky Greige



[click here](#)

Technical Installation details.

Bonded installation on drainage mortar.

With bonded installation on drainage mortar, porcelain stoneware surfaces are firmly adhered to the sub-base, ensuring long-term stability and durability.

The permeable sub-base effectively allows water to drain away, preventing frost damage and allowing the resulting surface to resist static and dynamic loads.

First of all, the sub-base is prepared with a stable layer of hardcore. The slabs are then laid on drainage mortar with a suitable adhesive.

The joints are firmly sealed, with sloping allowing the surface water to run off naturally.

Finder.

Find your product according to your needs and destination of use.

Search by:  6 mm	276
Search by:  8 mm	278
Search by:  20 mm	280
Search by: Special formats	282
Search by: Skid Resistance “R”	286
Search by: Shades & Effects	288

Search by: $\frac{1}{2}$ 6 mm formats

Find your product according to your needs and destination of use.

Formats (cm)		300 × 150	300 × 100	270 × 120	150 × 150	150 × 100	150 × 75		120 × 120	120 × 60	120 × 30	120 × 20	100 × 100	75 × 75	75 × 37,5	60 × 60	60 × 30
Formats (inch)		120" × 60"	120" × 40"	108" × 48"	60" × 60"	60" × 40"	60" × 30"		48" × 48"	48" × 24"	48" × 12"	48" × 8"	40" × 40"	30" × 30"	30" × 15"	24" × 24"	24" × 12"
Concrete																	
pag. 42	Cosmo												●				
pag. 52	Urban [Updated]						●						●	●			
pag. 64	*Urban Great		●	●		●											
pag. 72	Soft Concrete												●				
pag. 82	Stardust Full Body												●				
Stone																	
pag. 30	Eternal Stone [New]						●						●	●			
pag. 90	Estro Full Body						●						●	●			
pag. 100	Solid Stone												●				
pag. 110	Dune [Updated]						●						●	●			
pag. 120	Native Stone						●						●	●			
pag. 130	Royal Stone [Updated]						●						●	●			
pag. 142	*Great Royal Stone	●		●	●		●		●					●	●		
pag. 150	Loft Full Body												●				
pag. 160	Silk Stone									●	●		●			●	●
Marble																	
pag. 168	*Great Elite			●					●								
pag. 176	*Great One	●	●		●	●							●				
Color																	
pag. 184	Color Studio									●	●		●			●	●
Metal																	
pag. 194	Radical									●			●			●	●
Wood																	
pag. 202	Pure Wood											●					

* All articles of the Great collections are produced on order at our Castellarano facility (Italy).
Other formats are manufactured at our Vetschau facility (Germany).

Search by: $\pm$ 8 mm formats

Find your product according to your needs and destination of use.

Formats (cm)		120 × 120	120 × 60	120 × 30	120 × 20	120 × 15	60 × 60		60 × 30	60 × 10						
Formats (inch)		48" × 48"	48" × 24"	48" × 12"	48" × 8"	48" × 6"	24" × 24"		24" × 12"	24" × 4"						
Concrete																
pag. 42	Cosmo		●				●		●							
pag. 52	Urban [Updated]	●	●				●		●	●						
pag. 72	Soft Concrete		●				●		●							
pag. 82	Stardust Full Body		●				●		●							
Stone																
pag. 30	Eternal Stone [New]	●	●				●		●							
pag. 90	Estro Full Body		●				●		●							
pag. 100	Solid Stone		●				●		●							
pag. 110	Dune [Updated]	●	●				●		●							
pag. 120	Native Stone		●				●		●	●						
pag. 130	Royal Stone [Updated]	●	●				●		●	●						
pag. 150	Loft Full Body		●				●		●							
Wood																
pag. 210	In Wood			●	●	●										

All formats are manufactured at our Vetschau facility (Germany).

Search by: ∇ 20 mm formats

Find your product according to your needs and destination of use.

Formats (cm)		120 × 120	120 × 60	120 × 30	100 × 100	60 × 60											
Formats (inch)		48" × 48"	48" × 24"	48" × 12"	40" × 40"	24" × 24"											
Concrete																	
pag. 42	Cosmo		●		●	●											
pag. 52	Urban [Updated]	●	●		●	●											
Stone																	
pag. 30	Eternal Stone [New]	●	●		●	●											
pag. 90	Estro Full Body		●		●	●											
pag. 100	Solid Stone		●		●	●											
pag. 110	Dune [Updated]	●	●		●	●											
pag. 120	Native Stone		●		●	●											
pag. 130	Royal Stone [Updated]	●	●		●	●											
pag. 150	Loft Full Body		●		●	●											
Wood																	
pag. 210	In Wood		●	●													

All formats are manufactured at our Vetschau facility (Germany).

Search by: Special formats






Find your product according to your needs and destination of use – Part 1 of 2

		 Bullnose					 Step with grooves							
Formats (cm)		120 × 7	120 × 7	100 × 6,5	75 × 6,5	60 × 7	60 × 7	150 × 37,5	120 × 30	120 × 30	100 × 30	75 × 37,5	60 × 30	60 × 30
Thickness (mm)		±6 mm	±8 mm	±6 mm	±6 mm	±6 mm	±8 mm	±6 mm	±6 mm	±8 mm	±6 mm	±6 mm	±6 mm	±8 mm
Concrete														
pag. 42	Cosmo			●			●			●	●			●
pag. 52	Urban [Updated]		●	●	●		●	●		●	●	●		●
pag. 72	Soft Concrete			●			●				●			●
pag. 82	Stardust Full Body			●			●			●	●			●
Stone														
pag. 30	Eternal Stone [New]		●	●	●		●	●		●	●	●		●
pag. 90	Estro Full Body			●	●		●	●		●	●	●		●
pag. 100	Solid Stone			●			●			●	●			●
pag. 110	Dune [Updated]		●	●	●		●	●		●	●	●		●
pag. 120	Native Stone			●	●		●	●		●	●	●		●
pag. 130	Royal Stone [Updated]		●	●	●		●	●		●	●	●		●
pag. 142	*Great Royal Stone				●									
pag. 150	Loft Full Body			●			●			●	●			●
pag. 160	Silk Stone			●		●			●	●	●		●	
Color														
pag. 184	Color Studio			●		●			●		●		●	
Metal														
pag. 194	Radical			●		●			●		●			
Wood														
pag. 202	Pure Wood	●												
pag. 210	In Wood						●							

* All articles of the Great collections are produced on order at our Castellarano facility (Italy).
Other formats are manufactured at our Vetschau facility (Germany).

Search by: Special formats

Find your product according to your needs and destination of use – Part 2 of 2

																	
Formats (cm)		30 × 30	30 × 30	30 × 30	30 × 30	30 × 30	30 × 30	30 × 30		20 × 20	28 × 20	20 × 20	23 × 23	23 × 46	120 × 30	60 × 15	60 × 10
Thickness (mm)		±6 mm	±8 mm	±6 mm	±8 mm	±6 mm	±6 mm	±6 mm		±6 mm	±6 mm	±6 mm	±6 mm	±6 mm	±8 mm	±8 mm	±8 mm
Concrete																	
pag. 42	Cosmo				●												
pag. 52	Urban [Updated]		●		●												●
pag. 72	Soft Concrete		●		●												
pag. 82	Stardust Full Body				●												
Stone																	
pag. 30	Eternal Stone [New]				●												
pag. 90	Estro Full Body				●												
pag. 100	Solid Stone				●												
pag. 110	Dune [Updated]				●												
pag. 120	Native Stone		●		●												●
pag. 130	Royal Stone [Updated]		●		●												●
pag. 150	Loft Full Body		●		●												
pag. 160	Silk Stone			●													
Color																	
pag. 184	Color Studio	●		●			●	●		●	●	●	●	●			
Metal																	
pag. 194	Radical					●											
Wood																	
pag. 210	In Wood														●	●	

All formats are manufactured at our Vetschau facility (Germany).

Search by: Skid Resistances

Find your product according to your needs and destination of use.

DIN EN 16165 - Annex B

Slabs suitability for laying in areas where people walk footwear.
Defining the “R-value” of the surfaces according to the table below.

DIN EN 16165 - Annex A

Surfaces suitability for laying in areas where people walk barefoot.
Given an “A, B and C value” according to the table below.

		R9 Annex B ► $6^{\circ} \leq \alpha \leq 10^{\circ}$ = R9			R9 A Annex B ► $6^{\circ} \leq \alpha \leq 10^{\circ}$ = R9 Annex A ► $12^{\circ} \leq \alpha < 18^{\circ}$ = A			R9 A+B Annex B ► $6^{\circ} \leq \alpha \leq 10^{\circ}$ = R9 Annex A ► $18^{\circ} \leq \alpha < 24^{\circ}$ = A+B				R10 A Annex B ► $10^{\circ} < \alpha \leq 19^{\circ}$ = R10 Annex A ► $12^{\circ} \leq \alpha < 18^{\circ}$ = A			R10 A+B Annex B ► $10^{\circ} < \alpha \leq 19^{\circ}$ = R10 Annex A ► $18^{\circ} \leq \alpha < 24^{\circ}$ = A+B			R11 A+B Annex B ► $19^{\circ} < \alpha \leq 27^{\circ}$ = R11 Annex A ► $18^{\circ} \leq \alpha < 24^{\circ}$ = A+B			R11 A+B+C Annex B ► $19^{\circ} < \alpha \leq 27^{\circ}$ = R11 Annex A ► $\alpha \geq 24^{\circ}$ = A+B+C		
Slab thicknesses (mm)		≥ 6 mm	≥ 8 mm	≥ 20 mm	≥ 6 mm	≥ 8 mm	≥ 20 mm	≥ 6 mm	≥ 8 mm	≥ 20 mm		≥ 6 mm	≥ 8 mm	≥ 20 mm	≥ 6 mm	≥ 8 mm	≥ 20 mm	≥ 6 mm	≥ 8 mm	≥ 20 mm	≥ 6 mm	≥ 8 mm	≥ 20 mm
Concrete																							
pag. 42	Cosmo														●	●							●
pag. 52	Urban Updated											●				●					●	●	●
pag. 64	Urban Great											●											
pag. 72	Soft Concrete														●	●							
pag. 82	Stardust Full Body														●	●							
Stone																							
pag. 30	Eternal Stone New														●	●						●	●
pag. 90	Estro Full Body														●	●							●
pag. 100	Solid Stone														●	●							●
pag. 110	Dune Updated														●	●						●	●
pag. 120	Native Stone														●	●						●	●
pag. 130	Royal Stone Updated														●	●					●	●	●
pag. 142	Great Royal Stone											●											
pag. 150	Loft Full Body														●	●							●
pag. 160	Silk Stone														●								
Marble																							
pag. 168	Great Elite	●																					
pag. 176	Great One	●																					
Color																							
pag. 184	Color Studio				●			●															
Metal																							
pag. 194	Radical	●																					
Wood																							
pag. 202	Pure Wood														●								
pag. 210	In Wood												●							●			



Search by: Shades & Effects

An intuitive guide through
surfaces and colors.

Explore our full range of ceramic surfaces, grouped
by visual effect and organized from the lightest to the
darkest shades.

A chromatic journey, designed to make your material
choices simple, fast, and visually clear.

Surface effects overview:

Stone	290
Concrete	292
Color	294
Wood	295
Marble	296
Metal	297

Search by: Shades & Effects

Find your product according to your needs and destination of use – **Part 1 of 4**

Stone



Lime
Dune
pag. 110



Cloudy White
Native Stone
pag. 120



Estro Cream
Estro | Full Body
pag. 90



White Satin
Silk Stone
pag. 160



Platinum White
Royal Stone
pag. 130



Great Platinum White
Great Royal Stone
pag. 142



Loft Snow
Loft | Full Body
pag. 150



Pearl
Dune
pag. 110



Crema Marfil [New]
Eternal Stone
pag. 30



Noble Beige
Royal Stone
pag. 130



Vanilla Lace
Silk Stone
pag. 160



Travertino [New]
Eternal Stone
pag. 30



Solid Stone Beige
Solid Stone
pag. 100



Estro Beige
Estro | Full Body
pag. 90



Alver Beige
Native Stone
pag. 120



Taupe
Dune
pag. 110



Dusky Greige
Native Stone
pag. 120



Amber
Dune
pag. 110



Nebula
Dune
pag. 110



Seashell
Dune
pag. 110



Shantung Greige
Silk Stone
pag. 160



Mystic Grey
Native Stone
pag. 120



Estro Grey
Estro | Full Body
pag. 90



Palladium Grey
Royal Stone
pag. 130



Great Palladium Grey
Great Royal Stone
pag. 142



Loft Sand
Loft | Full Body
pag. 150



Shadow
Dune
pag. 110



Loft Smoke
Loft | Full Body
pag. 150



Solid Stone Grey
Solid Stone
pag. 100



Solid Stone Brown
Solid Stone
pag. 100



Authentic Brown
Native Stone
pag. 120



Imperial Brown
Royal Stone
pag. 130



Velvet Brown
Silk Stone
pag. 160



Estro Brown
Estro | Full Body
pag. 90



Solid Stone Anthracite
Solid Stone
pag. 100



Estro Anthracite
Estro | Full Body
pag. 90



Mineral Black
Native Stone
pag. 120



Loft Dark
Loft | Full Body
pag. 150



Black Chiffon
Silk Stone
pag. 160



Black Diamond
Royal Stone
pag. 130



Great Black Diamond
Great Royal Stone
pag. 142

Search by: Shades & Effects

Find your product according to your needs and destination of use – **Part 2 of 4**

Concrete



Soft White
Soft Concrete
pag. 72



Urban White
Urban
pag. 52



Urban Great White
Urban Great
pag. 64



Moonlight
Stardust | Full Body
pag. 82



Soft Beige
Soft Concrete
pag. 72



Urban Cream
Urban
pag. 52



Urban Great Cream
Urban Great
pag. 64



Cosmo Beige
Cosmo
pag. 42



Urban Beige
Urban
pag. 52



Urban Ivory
Urban
pag. 52



Urban Great Ivory
Urban Great
pag. 64



Clay
Stardust | Full Body
pag. 82



Urban Sand
Urban
pag. 52



Urban Great Sand
Urban Great
pag. 64



Terra
Stardust | Full Body
pag. 82



Soft Silver
Soft Concrete
pag. 72



Ash
Stardust | Full Body
pag. 82



Cosmo Grey
Cosmo
pag. 42



Urban Grey
Urban
pag. 52



Urban Great Grey
Urban Great
pag. 64



Soft Iron
Soft Concrete
pag. 72



Urban Dove
Urban
pag. 52



Urban Great Dove
Urban Great
pag. 64



Lava
Stardust | Full Body
pag. 82



Cosmo Anthracite
Cosmo
pag. 42



Aquamarine
Stardust | Full Body
pag. 82



Ocean
Stardust | Full Body
pag. 82



Soft Brown
Soft Concrete
pag. 72



Cosmo Brown
Cosmo
pag. 42



Urban Mud
Urban
pag. 52



Urban Great Mud
Urban Great
pag. 64



Ground
Stardust | Full Body
pag. 82



Urban Brown
Urban
pag. 52



Urban Anthracite
Urban
pag. 52



Urban Great Anthracite
Urban Great
pag. 64

Search by: Shades & Effects

Find your product according to your needs and destination of use – **Part 3 of 4**

Color



White
Color Studio
pag. 184






Cream
Color Studio
pag. 184





Powder
Color Studio
pag. 184





Sage
Color Studio
pag. 184





Biscuit
Color Studio
pag. 184





Malt
Color Studio
pag. 184





Brown
Color Studio
pag. 184





Night
Color Studio
pag. 184



Wood



Pure White
Pure Wood
pag. 202





Maple
In Wood
pag. 210





Pure Grey
Pure Wood
pag. 202





Acacia
In Wood
pag. 210





Pure Amber
Pure Wood
pag. 202





Pure Hazel
Pure Wood
pag. 202





Mulberry
In Wood
pag. 210





Canaletto
In Wood
pag. 210





Pure Brown
Pure Wood
pag. 202





Pure Black
Pure Wood
pag. 202



Search by: Shades & Effects

Find your product according to your needs and destination of use – **Part 4 of 4**

Marble



One White
Great One
pag. 176



Elite Calacatta
Great Elite
pag. 168



Elite Alpi
Great Elite
pag. 168



Elite Marquina
Great Elite
pag. 168

Metal



Shabby White
Radical
pag. 194



Shabby Grey
Radical
pag. 194



Shabby Brown
Radical
pag. 194



Shabby Black
Radical
pag. 194



Porcelaingres GmbH

Irisstraße 1
03226 Vetschau – Germany
Tel. +49 (0)35433 / 597-0

GranitiFiandre spa

Via Radici Nord, 112
42014 Castellarano (RE) – Italy
Tel. +39 0536 819611

Castellarano Showroom

Via Guido Reni 2
42014 Castellarano (RE) – Italy
www.porcelaingres.com
info@porcelaingres.com

Vetschau Showroom

Irisstraße 1
03226 Vetschau – Germany
www.porcelaingres.com
info@porcelaingres.com

A BRAND OF  IRIS
CERAMICA
GROUP

Smart Book 2026 • Edition: September 2025

Colors and decors reproductions are approximate. All rights are reserved.
Total or partial reproduction of text or illustrations of this catalogue is
prohibited and is subject to legal sanctions. Data were updated at the
catalogue printing time; therefore, the listed data may alter.

Smart Book - © 2026 Porcelaingres GmbH - All rights reserved.

Search “PORCELAINGRES”
on your app store
www.porcelaingres.com/pdfapp

